

(A) Main Concepts and Results

- Representation of integers on the number line and their addition and subtraction.
- Properties of integers:
 - Integers are closed under addition, subtraction and multiplication.
 - Addition and multiplication are commutative for integers, i.e., a + b = b + a and $a \times b = b \times a$ for any two integers *a* and *b*.
 - Addition and multiplication are associative for integers,
 i.e., (a + b) + c = a + (b + c) and
 (a × b) × c = a × (b × c) for any three integers a, b and c.
 - Zero (0) is an additive identity for integers, i.e., a + 0 = 0 + a = a for any integer a.
 - 1 is multiplicative identity for integers, i.e., a × 1 = 1 × a = a for any integer a.
 - Integers show distributive property of multiplication over addition, i.e., a × (b + c) = a × b + a × c for any three integers a, b and c.
- Product of a positive integer and a negative integer is a negative integer, i.e, $a \times (-b) = -ab$, where *a* and *b* are positive integers.
- Product of two negative integers is a positive integer, i.e.,
 (-a) × (-b) = ab, where a and b are positive integers.
- Product of even number of negative integers is positive, where as the product of odd number of negative integers is negative, i.e.,

 $\frac{(-a) \times (-b) \times \dots \times (-p)}{e^{vennumber 2m times}} = a \times b \times \dots \times p \text{ and}$

 $\frac{(-a)\times(-b)\times\ldots\times(-q)}{{}_{oddnumber(2m+1)times}} = -(a \times b \times \ldots \times q), \text{ where } a, b, \ldots, p, q \text{ and } m$ are positive integers.

• When a positive integer is divided by a negative integer or vice-versa and the quotient obtained is an integer then it is a negative integer, i.e.,

 $a \div (-b) = (-a) \div b = -\frac{a}{b}$, where *a* and *b* are positive integers and $-\frac{a}{b}$ is an integer

- When a negative integer is divided by another negative integer to give an integer then it gives a positive integer, i.e., $(-a) \div (-b) = \frac{a}{b}$, where *a* and *b* are positive integers and $\frac{a}{b}$ is also an integer.
- For any integer a, $a \div 1 = a$ and $a \div 0$ is not defined.

(B) Solved Examples

In Examples 1 to 3, there are four options, out of which one is correct. Write the correct answer.

Example 1: Madhre is standing in the middle of a bridge which is 20 m above the water level of a river. If a 35 m deep river is flowing under the bridge (see Fig. 1.1), then the vertical distance between the foot of Madhre and bottom level of the river is:




Fig. 1.1

Solution:	The correct answer is (a) [Vertical distance = 20 m + 35 m = 55 m]			
Example 2:	[(- 10) × (+ 9) (a) 100] + (– 10) is e (b) –100	-	(d) 80
Solution:	Correct answer is (b)			
Example 3:	$-16 \div [8 \div (-2)]$ is equal to			
Solution:	(a) −1 Correct answ	(b) 1 er is (c),	(c) 4	(d) –4

In Examples 4 and 5, fill in the blanks to make the statements true.

Example 4:	(- 25) × 30 = - 30 ×
Solution:	25
Example 5:	75 ÷ = - 75
Solution:	- 1

ADDING INTEGERS		
If the signs are the same	If the signs are different	
Find the sum of the values of integers without sign, and then use the same sign as the integers have.	Find the difference of the values of integers without sign (subtract lower value integer from greater value integer) and then use the sign of the integer with the greater value.	

5 20

In Examples 6 and 7, state whether the statements are True or False.

Example 6:	(-5) × (-7) is same as (-7) × (-5)		
Solution :	True		
Example 7:	(- 80) ÷ (4) is not same as 80 ÷ (-4)		
Solution:	False		
Example 8:	Find the odd one out [*] of the four options in the following:		
	(a) (-2, 24) (b) (-3, 10) (c) (-4, 12) (d) (-6, 8)		
Solution:	Here $-2 \times 24 = -48$,		
	$-4 \times 12 = -48$ and		
	$-6 \times 8 = -48$		

* To find odd one out, you have to look for a pattern between the numbers and then find out which option is not on that pattern.

	All the pairs i.e. $(-2, 24)$; $(-4, 12)$; $(-6, 8)$ give same answer on multiplication, whereas $-3 \times 10 = -30$, gives a different answer. So, odd one is (b).	
Example 9:	Find the odd one out of th	ne four options given below:
	(a) (-3, -6) (b) (+1, -10) (c) (-2, -7) (d) (-4, -9)
Solution:	Here $-3 + (-6) = -9$,	
	+1 + (-10) = -9 an -2 + (-7) = -9	d
	-	3, -6); $(+1, -10)$; $(-2, -7)$ give whereas $-4 + (-9) = -13$, gives d one out is (d).
Example 10:	Match the integer in O Column II so that the sum	Column I to an integer in n is between –11 and –4
	Column I	Column II
	(a) -6	(i) -11 (ii) -5
	(b) +1 (c) +7	(ii) (iii) +1
	(d) -2	(iv) -13
Solution:	(a) ↔ (iii)	
		nich lies between –11 and –4.
	(b) \leftrightarrow (i)	
	because $+1 + (-11) = -10$ which lies between -11 and -4 . (c) \leftrightarrow (iv)	
		hich lies between -11 and -4
	because $-2 + (-5) = -7$ whi	ich lies between -11 and -4 .
Example 11:	If a is an integer other than	1 and -1 , match the following:
	Column I	Column II
	(a) $a \div (-1)$	(i) a
	(b) $1 \div (a)$ (c) $(-a) \div (-a)$	(ii) 1 (iii) Not an integer
	(d) $a \div (+1)$	(iv) -a
	$(u) u \cdot (\cdot 1)$	(=-) ==
Solution:		(c) \leftrightarrow (ii) (d) \leftrightarrow (i)
	(a) \leftrightarrow (iv) (b) \leftrightarrow (iii)	

Solution: Since sum of two integers is zero, one integer is the additive inverse of other integer, like -3, 3; -4, 4 etc. But the difference has to be 10. So, the integers are 5 and -5 as 5–(-5) is 10.


SUBTRACTING INTEGERS			
Words		Numbers	Formula
To subtract an in add its inverse	iteger,	3 - 7 = 3 + (-7) 5 - (-8) = 5 + 8	a - b = a + (-b) a - (-b) = a + b
Example 13:	Write two integers which are smaller than –3, but their difference is greater than –3.		
Solution:	 - 5 and - 4 are smaller than - 3 but their difference is (-4) - (-5) = 1 which is greater than - 3. or - 6 and -10 are smaller than - 3 but their difference is (-2) - (-10) = 4 which is truster than - 2 		
Example 14:	 (-6) - (-10) = 4 which is greater than - 3. Write a pair of integers whose product is - 15 and whose difference is 8. 		
Solution:	There are few pairs of integers whose product is – 15. e.g. -1×15 -3×5 $3 \times (-5)$ $15 \times (-1)$ but difference of –3 and 5 or –5 and 3 is 8. So the required pair of integers is – 3, 5 and – 5, 3.		
Example 15:	If Δ is an operation such that for integers <i>a</i> and <i>b</i> we have $a \Delta b = a \times a + b \times b - a \times b$, then find (-3) Δ 2.		
Solution :	$-3 \Delta 2 = (-3) \times (-3) + 2 \times 2 - (-3) \times 2$ $= 9 + 4 - (-6) = 13 + 6 = 19.$		
Example 16: Solution:	In an objective type test containing 25 questions. A student is to be awarded +5 marks for every correct answer, -5 for every incorrect answer and zero for not writing any answer. Mention the ways of scoring 110 marks by a student. Marks scored = +110		

So, minimum correct responses = $110 \div$	(+5) = 22
Case 1	
Correct responses = 22	
Marks for 1 correct response $= + 5$	
Marks for 22 correct response = $+110$	(22×5)
Marks scored $= +110$	
Marks obtained for incorrect answer = 0	
So, no incorrect response	
And, therefore, 3 were unattempted	
Case 2	
Correct responses = 23	
Marks from 23 correct responses = + 11	5 (23 × 5)
Marks scored = + 11	0
Marks obtained for incorrect answers =	110 – (+115)
=-	-5
Marks for 1 incorrect answer = -	-5
Number of incorrect responses = ((-5) ÷ (-5)
= 1	l
So, 23 correct, 1 incorrect and 1 unatter	npted.
Case 3	
Correct responses = 24	
Marks from 24 correct responses = + 120	
Marks scored $= +110$	
Marks obtained for incorrect answers =	
	-10
	-10) ÷ (-5)
=	-
Thus the number of questions = $24 + 2$	
total number of questions is 25. So, t	his case is not
possible.	
So, the possible ways are:	

- 22 correct, 0 incorrect, 3 unattempted
- 23 correct, 1 incorrect, 1 unattempted.

MULTIPLYING AND DIVIDING TWO INTEGERS

If the signs are the same, the sign of the answer is **positive**. If the signs are different, the sign of the answer is **negative**.




1. Can you find the position of the boy if he comes down further by 3 more stairs?

(C) Exercise

In the Questions 1 to 25, there are four options, out of which only one is correct. Write the correct one.

- **1.** When the integers 10, 0, 5, 5, 7 are arranged in descending or ascending order, them find out which of the following integers always remains in the middle of the arrangement.
 - (a) 0 (b) 5 (c) -7 (d) -5
- **2.** By observing the number line (Fig. 1.2), state which of the following statements is not true.



- (a) B is greater than -10 (b) A is greater than 0
- (c) B is greater than A (d) B is smaller than 0
- **3.** By observing the above number line (Fig. 1.2), state which of the following statements is true.
 - (a) B is 2 (b) A is 4
 - (c) B is -13 (d) B is -4

Think and Discuss

000

 \cap


- **1. Compare** the sums 10 + (-22) and -10 + 22.
- **2. Describe** how to add the following addition expressions on a number line, 9 + (- 13) and -13 + 9. Then compare the sums.
 - **4.** Next three consecutive numbers in the pattern 11, 8, 5, 2, --, --, -- are

(a) 0, -3, -6 (b) -1, -5, -8


(c) – 2, – 5, – 8

(d) -1, -4, -7

- 5. The next number in the pattern 62, 37, 12 ______ is
 (a) 25
 (b) 13
 (c) 0
 (d) -13
- **6.** Which of the following statements is not true?
 - (a) When two positive integers are added, we always get a positive integer.
 - (b) When two negative integers are added we always get a negative integer.
 - (c) When a positive integer and a negative integer is added we always get a negative integer.
 - (d) Additive inverse of an integer 2 is (- 2) and additive inverse of (-2) is 2.
- 7. On the following number line value 'Zero' is shown by the point



8. If ⊗, O, ⊘ and • represent some integers on number line, then descending order of these numbers is



- 9. On the number line, the value of (-3) × 3 lies on right hand side of
 (a) 10
 (b) 4
 (c) 0
 (d) 9
- **10.** The value of $5 \div (-1)$ does not lie between

(a) 0 and -10 (b) 0 and 10 (c) -4 and -15 (d) -6 and 6

11. Water level in a well was 20m below ground level. During rainy season, rain water collected in different water tanks was drained

(a) 17 m

into the well and the water level rises 5 m above the previous level. The wall of the well is 1m 20 cm high and a pulley is fixed at a height of 80 cm. Raghu wants to draw water from the well. The minimum length of the rope that he can use is

(c) 96 m

(d)

97 m

Fig. 1.3

(b) 18 m


12. (-11) × 7 is not equal to

(a)
$$11 \times (-7)$$
 (b) $-(11 \times 7)$ (c) $(-11) \times (-7)$ (d) $7 \times (-11)$

13. (-10) × (-5) + (-7) is equal to
(a) -57
(b) 57
(c) -43
(d) 43


14. Which of the following is not the additive inverse of *a*? (a) -(-a) (b) $a \times (-1)$ (c) -a (d) $a \div (-1)$

15.	Which of the following is (a) α (b) 1		ve identity for an i (d) – 1	nteger a?
16.	$[(-8) \times (-3)] \times (-4)$ is m (a) $(-8) \times [(-3) \times (-4)]$ (c) $[(-3) \times (-8)] \times (-4)$	(b) [(–	8) × (- 4)] × (- 3) 8) × (- 3) - (- 8) >	< (- 4)
17.	(- 25) × [6 + 4] is not sat (a) (- 25) × 10 (c) (- 25) × 6 × 4		25) × 6 + (– 25) × 250	4
18.	 - 35 × 107 is not same (a) - 35 × (100 + 7) (c) - 35 × 7 + 100 	(b) (– 3	35) × 7 + (– 35) × 30 – 5) × 107	\$ 100
19.	(-43) × (-99) + 43 is e (a) 4300 (b) -	equal to 4300 (c) 42	57 (d) - 4	214
20.	(- 16) ÷ 4 is not same as (a) (-4) ÷ 16 (b) -		5 ÷ (− 4) (d) − 4	
21.	Which of the following d (a) $0 \div (-7)$ (b) 2	_		12) ÷ 5
22.	Which of the following is (a) $20 + (-25)$		the others? 37) – (– 32)	
	(c) (− 5) × (−1)	(d) (45	5) ÷ (– 9)	
23.	Which of the following s (a) 23° to 32° (b) – 1		-	
24.	If <i>a</i> and <i>b</i> are two intege an integer?			
	(a) $a + b$ (b) a	- <i>b</i> (c)	$a \times b$ (d)	a ÷ b
25.	For a non-zero integer a		9	
- ·	(a) $a \div 0$ (b) 0			$1 \div a$
	(a) (-3, 3) (b) (-	•••	(-6, 1) (d)	(_8 8)
21.	(a) (-1, -2) (b) (-	-5, ⁺ 2j (C)	$(-4, \pm 1)$ (0)	(-9, +7)



44. If we multiply six negative integers and six positive integers, then the resulting integer is _____.

- **45.** If we multiply five positive integers and one negative integer, then the resulting integer is _____.
- **46.** ______ is the multiplicative identity for integers.
- **47.** We get additive inverse of an integer *a* when we multiply it by



Think and Discuss

- **1.** Explain why 10 (– 10) does not equal 10 10.
- **2. Describe** the answer that you get when you subtract a greater number from a lesser number.

55. 88 × ____ = - 88

56. _____ × (-93) = 93

57. (-40) × ____ = 80

- **58.** _____ × (-23) = 920
- **59.** When we divide a negative integer by a positive integer, we divide them as whole numbers and put a ______ sign before quotient.
- **60.** When –16 is divided by _____ the quotient is 4.

- **61.** Division is the inverse operation of
- **62.** 65 ÷ (13) = _____
- **63.** (-100) ÷ (-10) = _____
- **64.** (-225) ÷ 5 = _____
- **65.** _____÷ (-1) = -83
- **66.** _____ ÷ (1) = 75
- **67.** 51 ÷ ____ = 51
- **68.** 113 ÷ ____ = 1
- **69.** (- 95) ÷ ____ = 95
- **70.** (-69) ÷ (69) = ____
- **71.** $(-28) \div (-28) =$ ____

In Questions 72 to 108, state whether the statements are True or False.

- **72.** 5 (8) is same as 5 + 8.
- **73.** (-9) + (-11) is greater than (-9) (-11).
- **74.** Sum of two negative integers always gives a number smaller than both the integers.
- **75.** Difference of two negative integers cannot be a positive integer.
- **76.** We can write a pair of integers whose sum is not an integer.
- 77. Integers are closed under subtraction.
- **78.** (- 23) + 47 is same as 47 + (- 23).
- **79.** When we change the order of integers, their sum remains the same.
- **80.** When we change the order of integers their difference remains the same.
- **81.** Going 500 m towards east first and then 200 m back is same as going 200 m towards west first and then going 500 m back.
- **82.** $(-5) \times (33) = 5 \times (-33)$
- **83.** (-19) × (-11) = 19 × 11

- **84.** $(-20) \times (5-3) = (-20) \times (-2)$
- **85.** $4 \times (-5) = (-10) \times (-2)$
- **86.** $(-1) \times (-2) \times (-3) = 1 \times 2 \times 3$
- **87.** $-3 \times 3 = -12 (-3)$
- 88. Product of two negative integers is a negative integer.
- **89.** Product of three negative integers is a negative integer.
- **90.** Product of a negative integer and a positive integer is a positive integer.
- **91.** When we multiply two integers their product is always greater than both the integers.
- 92. Integers are closed under multiplication.
- **93.** $(-237) \times 0$ is same as $0 \times (-39)$
- 94. Multiplication is not commutative for integers.
- **95.** (-1) is not a multiplicative identity of integers.
- **96.** 99 × 101 can be written as (100 1) × (100 + 1)
- **97.** If *a*, *b*, *c* are integers and $b \neq 0$ then, $a \times (b c) = a \times b a \times c$
- **98.** $(a + b) \times c = a \times c + a \times b$
- **99.** $a \times b = b \times a$
- **100.** $a \div b = b \div a$
- **101.** a b = b a

Think and Discuss

00

1. List all possible multiplication and division statements for the integers with 5, -5, 6, -6 and 30, -30.

For example, $5 \times 6 = 30$.

- **2. Compare** the sign of the product of two negative integers with the sign of the sum of two negative integers.
- **3. Suppose** the product of two integers is positive. What do you know about the signs of the integers?

- **102.** $a \div (-b) = -(a \div b)$
- **103.** $a \div (-1) = -a$
- **104.** Multiplication fact (-8) × (-10) = 80 is same as division fact $80 \div (-8) = (-10)$
- **105.** Integers are closed under division.
- **106.** $[(-32) \div 8] \div 2 = -32 \div [8 \div 2]$
- **107.** The sum of an integer and its additive inverse is zero (0).
- **108.** The successor of $0 \times (-25)$ is $1 \times (-25)$
- **109.** Observe the following patterns and fill in the blanks to make the statements true:
 - (a) $-5 \times 4 = -20$ $-5 \times 3 = -15 = -20 - (-5)$ $-5 \times 2 = = -15 - (-5)$ $-5 \times 1 = =$ $-5 \times 0 = 0 =$ $-5 \times -1 = 5 =$ $-5 \times -2 =$ (b) $7 \times 4 = 28$ 7 × 3 = = 28 - 7 $7 \times 2 =$ =2 $7 \times 1 = 7$ _____7 ¥____ $7 \times 0 =$ = $7 \times -1 = -7$ 7 × - 2 = _____ = ____ - ____ 7×-3 =
- **110. Science Application:** An atom consists of charged particles called electrons and protons. Each proton has a charge of +1 and each electron has a charge of -1. Remember number of electrons is equal to number of protons, while answering these questions:
 - (a) What is the charge on an atom?
 - (b) What will be the charge on an atom if it loses an electron?
 - (c) What will be the charge on an atom if it gains an electron?
- **111.** An atom changes to a charged particle called ion if it loses or gains electrons. The charge on an ion is the charge on electrons plus charge

on protons. Now, write the missing information in the table given below:

Name of Ion	Proton Charge	Electron Charge	Ion Charge
Hydroxide ion	+9		-1
Sodium ion	+11	_	+1
Aluminium ion	+13	-10	_
Oxide ion	+8	-10	—



Plan a Strategy

- Some problems contain a lot of information. Read the entire problem carefully to be sure you understand all of the facts. You may need to read it over several times perhaps aloud so that you can hear yourself.
- Then decide which information is the most important (prioritise). Is there any information that is absolutely necessary to solve the problem? This information is the most important.
- Finally, put the information in order (sequence). Use comparison words like *before, after, longer, shorter,* and so on to help you. Write down the sequence before you try to solve the problem.

Read the problem given below and then answer the questions that follow:

- Five friends are standing in a line waiting for the opening of a show. They are in line according to their arrival. Shreya arrived 3 minutes after Sachin. Roy took his place in line at 9:01 P.M. He was 1 minute behind Reena and 7 minutes ahead of Shreya. The first person arrived at 9:00 P.M. Babu showed up 6 minutes after the first person. List the time of each person's arrival.
 - (a) Whose arrival information helped you to determine arrival time of each?
 - (b) Can you determine the order without the time?
 - (c) List the friends' order from the earliest arrival to the last arrival.

- **112. Social Studies Application:** Remembering that 1AD came immediately after 1BC, while solving these problems take 1BC as –1 and 1AD as +1.
 - (a) The Greeco-Roman era, when Greece and Rome ruled Egypt started in the year 330 BC and ended in the year 395 AD. How long did this era last?
 - (b) Bhaskaracharya was born in the year 1114 AD and died in the year 1185 AD. What was his age when he died?
 - (c) Turks ruled Egypt in the year 1517 AD and Queen Nefertis ruled Egypt about 2900 years before the Turks ruled. In what year did she rule?
 - (d) Greek mathematician Archimedes lived between 287 BC and 212 BC and Aristotle lived between 380 BC and 322 BC. Who lived during an earlier period?
- **113.** The table shows the lowest recorded temperatures for each continent. Write the continents in order from the lowest recorded temperature to the highest recorded temperature.

The Lowest Recorded Temperatures		
Continent Temperature (in Fahrenheit)		
-110		
-1290		
-90°		
- 90		
-67º		
-810		
-27°		

- **114.** Write a pair of integers whose product is -12 and there lies seven integers between them (excluding the given integers).
- **115.**From given integers in Column I match an integer of Column II so that their product lies between –19 and –6:

Column I	Column II
- 5	1
6	-1
-7	3
8	-2

116. Write a pair of integers whose product is – 36 and whose difference is 15.

117. Match the following

	Column I		Column II
(a)	$a \times 1$	(i)	Additive inverse of a
(b)	1	(ii)	Additive identity
(c)	$(-a) \div (-b)$	(iii)	Multiplicative identity
(d)	a × (– 1)	(iv)	$a \div (-b)$
(e)	$a \times 0$	(v)	$a \div b$
(f)	(<i>−a</i>) ÷ <i>b</i>	(vi)	a
(g)	0	(vii)	- a
(h)	$a \div (-a)$	(viii)	0
(i)	-a	(ix)	-1


118.You have ₹ 500 in your savings account at the beginning of the month. The record below shows all of your transactions during the month. How much money is in your account after these transactions?

Cheque No.	Date	Transaction Description	Payment	Deposit
384102 275146	4/9 12/9	Jal Board Deposit	₹ 120	₹ 200
384103 801351	22/9 29/9	LIC India Deposit	₹ 240	₹ 150

O Think and Discuss

Is it not true? If + is a friend and - is an enemy.

- 1. Your friend's friend is your friend.
- 2. Your friend's enemy is your enemy.
- 3. Your enemy's friend is your enemy.
- 4. Your enemy's enemy is your friend.



 $\times + =$

- **119.**(a) Write a positive integer and a negative integer whose sum is a negative integer.
 - (b) Write a positive integer and a negative integer whose sum is a positive integer.
 - (c) Write a positive integer and a negative integer whose difference is a negative integer.
 - (d) Write a positive integer and a negative integer whose difference is a positive integer.
 - (e) Write two integers which are smaller than -5 but their difference is -5.
 - (f) Write two integers which are greater than -10 but their sum is smaller than -10.
 - (g) Write two integers which are greater than 4 but their difference is smaller than 4.
 - (h) Write two integers which are smaller than 6 but their difference is greater than 6.
 - (i) Write two negative integers whose difference is 7.
 - (j) Write two integers such that one is smaller than -11, and other is greater than -11 but their difference is -11.
 - (k) Write two integers whose product is smaller than both the integers.
 - (l) Write two integers whose product is greater than both the integers.
- **120. What's the Error?** Ramu evaluated the expression -7 (-3) and came up with the answer -10. What did Ramu do wrong?
- **121.What's the Error?** Reeta evaluated -4 + d for d = -6 and gave an answer of 2. What might Reeta have done wrong?
- **122.** The table given below shows the elevations relative to sea level of four locations.

Taking sea level as zero, answer the following questions:

Location	Elevation (in m)
А	-180
В	1600
С	-55
D	3200



- (a) Which location is closest to sea level?
- (b) Which location is farthest from sea level?
- (c) Arrange the locations from the least to the greatest elevation.
- **123.** You are at an elevation 380 m above sea level as you start a motor ride. During the ride, your elevation changes by the following metres: 540 m, -268 m, 116 m, -152 m, 490 m, -844 m, 94 m. What is your elevation relative to the sea level at the end of the ride?
- **124.** Evaluate the following, using distributive property.

(i)	-39×99	(ii)	(- 85) × 43 + 43 × (- 15)
(iii)	53 × (– 9) – (– 109) × 53	(iv)	68 × (-17) + (-68) × 3

125.If * is an operation such that for integers *a* and *b* we have

 $a * b = a \times b + (a \times a + b \times b)$ then find (i) (-3) * (-5) (ii) (-6) * 2

126. If Δ is an operation such that for integers *a* and *b* we have

 $a \ \Delta b = a \times b \ -2 \times a \times b + b \times b \ (-a) \times b + b \times b$ then find (i) $4 \ \Delta \ (-3)$ (ii) $(-7) \ \Delta \ (-1)$ Also show that $4 \ \Delta \ (-3) \neq (-3) \ \Delta \ 4$ and $(-7) \ \Delta \ (-1) \neq (-1) \ \Delta \ (-7)$

127.Below *u*, *v*, *w* and *x* represent different integers, where u = -4 and $x \neq 1$. By using following equations, find each of the values:

```
u \times v = u
x \times w = w
u + x = w
v
w
x
```

(a)

(b)

(c)

Explain your reasoning using the properties of integers.

- **128.**Height of a place A is 1800 m above sea level. Another place B is 700 m below sea level. What is the difference between the levels of these two places?
- **129.** The given table shows the freezing points in ^oF of different gases at sea level. Convert each of these into ^oC to the nearest integral value using the relation and complete the table,

$$C = \frac{5}{9} (F - 32)$$

Gas	Freezing Point at Sea Level (°F)	Freezing Point at Sea Level (°C)
Hydrogen	-435	
Krypton	-251	
Oxygen	-369	
Helium	-458	
Argon	-309	

- **130.** Sana and Fatima participated in an apple race. The race was conducted in 6 parts. In the first part, Sana won by 10 seconds. In the second part she lost by 1 minute, then won by 20 seconds in the third part and lost by 25 seconds in the fourth part, she lost by 37 seconds in the fifth part and won by 12 seconds in the last part. Who won the race finally?
- 131. A green grocer had a profit of ₹ 47 on Monday, a loss of ₹ 12 on Tuesday and loss of ₹ 8 on Wednesday. Find his net profit or loss in 3 days.
- **132.** In a test, +3 marks are given for every correct answer and -1 mark are given for every incorrect answer. Sona attempted all the questions and scored +20 marks though she got 10 correct answers.
 - (i) How many incorrect answers has she attempted?
 - (ii) How many questions were given in the test?
- **133.** In a true-false test containing 50 questions, a student is to be awarded 2 marks for every correct answer and –2 for every incorrect answer and 0 for not supplying any answer. If Yash secured 94 marks in a test, what are the possibilities of his marking correct or wrong answer?
- **134.** A multistorey building has 25 floors above the ground level each of height 5m. It also has 3 floors in the basement each of height 5m. A lift in building moves at a rate of 1m/s. If a man starts from 50m above the ground, how long will it take him to reach at 2nd floor of basement?
- **135.** Taking today as zero on the number line, if the day before yesterday is 17 January, what is the date 3 days after tomorrow?

- **1.** Explain how integers are used in real life to manage a bank account.
- **2.** Explain whether -1, -4, and 5 are additive inverses.


136. The highest point measured above sea level is the summit of Mt. Everest which is 8,848m above sea level and the lowest point is challenger Deep at the bottom of Mariana Trench which is 10911m below sea level. What is the vertical distance between these two points?

(D) Application

Puzzle 1

Fill in the blank space of the following magic square so that the sum of the numbers in each row, each column and each of the diagonals is -6.

(i)



(ii) In this magic square, sum of the numbers in every row, column and each of the diagonals is -2. Fill in the blank:

7		- 6		
	\bigcirc	1		
0	- 2	X	8	
- 5	X	6	- 8	

Puzzle 2

If a * b means $a \times b + 2$ and

a # b means - a + b - (-3),

then find the value of the following:

(i) - 4 * 3	(ii) (-3) * (-2)
(iii) (-7) # (-3)	(iv) 2 # (-4)
(v) 7 * (-5)	(vi) (-7 * 2) # 3

Next, match these answers with suitable letters by looking at the table below and arrange them in increasing order of integers to decode the name of the mathematician:

Integers	-9	14	-3	4	-10	8	-33	-21	7	18
Letters	Р	Y	С	Т	U	Ι	E	G	L	D

Puzzle 3

'Equinoxes' are the two days of the year when the sun is directly above the earth's equator, due to which the days and nights are of nearly equal length everywhere on the earth.

Find the name of the month of autumn equinox using suitable properties of integers by solving the following questions. Match your answer with the letter given in the table and fill it in the box provided in each question.


- (a) $(-1) \times (-2) \times (-3) \times (-4) \times (-5)$
- (b) 18946 × 99 (–18946)
- (c) -1 + (-2) + (-3) + (-9) + (-8)
- (d) 15 × (–99)
- (e) -143 + 600 257 + 400
- (f) $0 \div (-12)$
- (g) -125 × 9 125
- (h) $\frac{(-1) \times (-1) \times \dots \times (-1)}{20 \text{ times}}$

(i)
$$\frac{-4+4-4+4-...-4}{21 \text{ times}}$$

1	E
-1485	Т
-120	S
-30	Р
-4	R
-1250	В
1894600	E
600	E
0	М

Puzzle 4

Complete the number grids by following the direction of arrows.



Puzzle 5

Solve the following riddles.

(a) Minus of minus six

Minus minus-minus-seven

What do you get if this is **added** to

minus-minus-seven again?

(b) Now **add** the value in riddle (a) to minus four and then minus two you **take away**


Divide this by minus two

What is this value can you say?

(c) Take the result of riddle (b) and **subtract** from it minus six

Multiply this by minus two

What will the answer be?



Puzzle 6

Use the integers -2, 4, -5, -12, 20, -25 and 50 just one each in the wheel shown in Fig. 1.4 to make the product 1200 along each line.