




Disponible en ligne sur
SciVerse ScienceDirect
www.sciencedirect.com

Elsevier Masson France
EM|consulte
www.em-consulte.com



CONTENTS

Abstracted in: Current Contents/Clinical Medicine, EMBASE/Excerpta Medica, MEDLINE/Index Medicus, PASCAL/INIST-CNRS, Research Alert, SCI Search, SCOPUS®

Editorial

Why publish a survey of orthopaedic scientific production from China?

H. Migaud 251

Original articles

Research in orthopaedics from China has thrived over the last decade: A bibliometric analysis of publication activity

T. Cheng 253

Effects of a preoperative simplified home rehabilitation education program on length of stay of total knee arthroplasty patients

S.-W. Huang, P.-H. Chen and Y.-H. Chou 259

One-year prospective comparative study of three large-diameter metal-on-metal total hip prostheses: Serum metal ion levels and clinical outcomes

J.-F. Lardanchet, J. Taviaux, D. Arnalsteen, A. Gabrion and P. Mertl 265

Joint perception after hip or knee replacement surgery

M. Collins, M. Lavigne, J. Girard and P.-A. Vendittoli 275

Retrieval analysis of squeaking ceramic implants: Are there related specific features?

C. Chevillotte, R.T. Trousdale, K.-N. An, D. Padgett and T. Wright 281

Proximal femoral nail antirotation (PFN-ATM) fixation of extra-capsular proximal femoral fractures in the elderly: Retrospective study in 102 patients

E. Soucanye de Landevoisin, A. Bertani, P. Candoni, C. Charpail and E. Demortiere 288

Dual mobility cups hip arthroplasty as a treatment for displaced fracture of the femoral neck in the elderly. A prospective, systematic, multicenter study with specific focus on postoperative dislocation

P. Adam, R. Philippe, M. Ehlinger, O. Roche, F. Bonnomet, D. Molé, M.-H. Fessy and the French Society of Orthopaedic Surgery and Traumatology (SoFCOT) 296

Induced membrane technique for reconstruction after bone tumor resection in children: A preliminary study <i>F. Chotel, L. Nguibanda, P. Braillon, R. Kohler, J. Bérard and K. Abelin-Genevois</i>	301
Primary tumor of the periacetabular region: Resection and reconstruction using a segmental ipsilateral femur autograft <i>J.-M. Laffosse, A. Pourcel, N. Reina, J.-L. Tricoire, P. Bonnevialle, P. Chiron and J. Puget</i>	309
Simplified open repair for anterior chest wall deformities. Analysis of results in 205 patients <i>A. Wurtz, N. Rousse, L. Benhamed, M. Conti, I. Hysi, C. Pinçon and R. Nevière</i>	319
Neuropathic complications after 157 procedures of continuous popliteal nerve block for hallux valgus surgery. A retrospective study <i>V. Hajek, C. Dussart, F. Klack, A. Lamy, J.-Y. Martinez, P. Lainé, L. Mazurier, L. Guilloton and A. Drouet</i>	327
Shield kyphoplasty through a unipedicular approach compared to vertebroplasty and balloon kyphoplasty in osteoporotic thoracolumbar fracture: A prospective randomized study <i>S. Endres and A. Badura</i>	334
Technical notes	
Anterolateral kyphoplasty in the management of cervical spinal metastasis <i>B. Blondel, T. Adetchessi, J. Demakakos, G. Pech-Gourg, H. Dufour and S. Fuentes</i>	341
Total hip revision using a cup design with a peg to treat severe pelvic bone defects <i>P. Desbonnet, H. Connes, P. Escare, J.L. Tricoire and J. Trouillas</i>	346
Case reports	
Should post-traumatic thoracolumbar Frankel A paraplegia be operated as an emergency? Report of three cases and review of the literature <i>O. Launay, Y.P. Charles and J.-P. Steib</i>	352
Isolated anterior unilateral sacroiliac dislocation without pubic arch disjunction <i>N. Bouguennec, F. Gouin and G. Piétu</i>	359
Aseptic arthritis after ACL reconstruction by Tape Locking Screw (TLS [®]): Report of two cases <i>F. Colin, F. Lintz, K. Bargoin, C. Guillard, G. Venet, A. Tesson and F. Gouin</i>	363