



Bibliography

Oncology Nursing Bibliography

General and Reviews

General prognostic scores in outcome prediction for cancer patients admitted to the intensive care unit. KOPTERIDES P, LIBEROPOULOS P, ILIAS I, ANTHI A, PRAGKASTIS D, TSANGARIS I, *et al.* *Am J Crit Care* 2011;20(1):56–66.

Review article: terminal delirium in geriatric patients with cancer at end of life. MOYER DD. *Am J Hosp Palliat Care* 2011;28(1):44–51.

Secondary traumatic stress in nurses: a systematic review. BECK CT. *Arch Psychiatr Nurs* 2011;25(1):1–10.

Defining breast cancer prognosis based on molecular phenotypes: results from a large cohort study. DAWOOD S, HU R, HOMES MD, COLLINS LC, SCHNITT SJ, CONNOLLY J, *et al.* *Breast Cancer Res Treat* 2011;126(1):185–92.

Tools for assessing nausea, vomiting, and retching: a literature review. WOOD JM, CHAPMAN K, EILERS J. *Cancer Nurs* 2011;34(1):E14–24.

Rethinking the head and neck cancer population. CALLAWAY C. *Clin J Oncol Nurs* 2011;15(2):165–70.

Levels of knowledge and perceived understanding among participants in cancer clinical trials — factors related to the informed consent procedure. BERGENMAR M, JOHANSSON H, WILKING N. *Clin Trials* 2011;8(1):77–84.

Pain management programmes for chronic pain? [Review] *Drug Ther Bull* 2011;49(3):33–6.

Central venous port systems as an integral part of chemotherapy. TEICHGRABER UK, PFITZMANN R, HOFMANN HA. *Dtsch Arztebl Int* 2011;108(9):147–54.

Needs for everyday life support for brain tumour patients' relatives: systematic literature review. MADSEN K, POULSEN H. *Eur J Cancer Care (Engl)* 2011;20(1):33–43.

Dietary modification for women after breast cancer treatment: a narrative review. TRAMM R, MCCARTHY AL, YATES P. *Eur J Cancer Care (Engl)* 2011;20(3):294–304.

Anxiety in patients with breast cancer undergoing treatment. [Review] MUNN Z, MCARTHUR A. *J Adv Nurs* 2011;67(1):19.

The experience and expectations of terminally ill patients receiving music therapy in the palliative setting: a systematic review. LEOW M, DRURY V, HONG P. *J Adv Nurs* 2011;67(4):722.

Factors affecting recovery of functional status in older adults after cancer surgery. VAN CLEAVE JH, EGLESTON BL, MCCORKLE R. *J Am Geriatr Soc* 2011;59(1):34–43.

A systematic review of the effectiveness of problem-solving approaches towards symptom management in cancer care. LEE YH, CHIOU PY, CHANG PH, HAYTER M. *J Clin Nurs* 2011;20(1–2):73–85.

Quality of life in cervical cancer survivors: a review of the literature and directions for future research. ZENG YC, CHING SS, LOKE AY. *Oncol Nurs Forum* 2011;38(2):E107–17.

The outcomes of palliative care day services: a systematic review. STEVENS E, MARTIN CR, WHITE CA. *Palliat Med* 2011;25(2):153–69.

The cost of childhood cancer from the family's perspective: a critical review. TSIMICALIS A, STEVENS B, UNGAR WJ, MCKEEVER P, GREENBERG M. *Pediatr Blood Cancer* 2011;56(5):707–17.

Combining extant datasets with differing outcome measures across studies of older adults after cancer surgery. VAN CLEAVE JH, EGLESTON BL, BOURBONNIERE M, MCCORKLE R. *Res Gerontol Nurs* 2011;4(1):36–46.

Genetic tumor profiling and genetically targeted cancer therapy. GOETSCH CM. *Semin Oncol Nurs* 2011;27(1):34–44.

Paediatric Oncology Nursing

Qualitative analysis of consults by a pediatric advanced care team during its first year of service. BYRNE M, TREGALLO M, SAROYAN J, GRANOWETTER L, VALOY G, SCHECHTER W. *Am J Hosp Palliat Care* 2011;28(2):2.

A pilot study to examine the feasibility and effects of a home-based aerobic program on reducing fatigue in children with acute lymphoblastic leukemia. YEH CH, MAN WAI JP, LIN US, CHIANG YC. *Cancer Nurs* 2011;34(1):3–12.

Young breast cancer survivors: their perspectives on treatment decisions and fertility concerns. GORMAN JR, USITA PM, MADLENSKY L, PIERCE JP. *Cancer Nurs* 2011;34(1):32–40.

The experiences and feelings of Chinese children living with leukemia: a qualitative study. HAN J, LIU JE, XIAO Q, ZHENG XL, MA YH, DING YM. *Cancer Nurs* 2011;34(2):134–41.

Children's understanding of cancer and views on health-related behaviour: a 'draw and write' study. KNIGHTING K, ROWA-DEWAR N, MALCOLM C, KEARNEY N, GIBSON F. *Child Care Health Dev* 2011;37(2):289–99.

Personal resuscitation plans and end of life planning for children with disability and life-limiting/life-threatening conditions. WOLFF A, BROWNE J, WHITEHOUSE WP. *Arch Dis Child Educ Pract Ed* 2011;96(2):42–8.

Family strategies for managing childhood cancer: using complementary and alternative medicine in Jordan. AL-QUDIMAT MR, ROZMUS CL, FARHAN N. *J Adv Nurs* 2011;67(3):591–7.

Physical therapy and chiropractic use among childhood cancer survivors with chronic disease: impact on health-related quality of life. MONTGOMERY M, HUANG S, COX CL, LEISENRING WM, OEFFINGER KC, HUDSON MM, *et al.* *J Cancer Surviv* 2011;5(1):73–81.

Li-Fraumeni syndrome and the role of the pediatric nurse practitioner. PARSONS M. *Clin J Oncol Nurs* 2011;15(1):79–87.

Professional caregivers' perceptions of providing information to parents of children with cancer. RINGNER A, JANSSON L, GRANEHEIM UH. *J Pediatr Oncol Nurs* 2011;28(1):34–42.

A glimpse into the lives of 3 children: their cancer journey. WILSON K, MAZHAR W, ROJAS-COOLEY T, DE ROSA V, VAN CLEVE L. *J Pediatr Oncol Nurs* 2011;28(2):100–6.

Swedish mothers and fathers of children with cancer: perceptions of well-being, social life, and quality care. ENSKAR K, HAMRIN E, CARLSSON M, VON ESSEN L. *J Psychosoc Oncol* 2011;29(1):51–66.

Incidence and risk factors of oral mucositis in paediatric and adolescent patients undergoing chemotherapy. CHENG KK, LEE V, LI CH, GOGGINS W, THOMPSON DR, YUEN HL, et al. *Oral Oncol* 2011;47(3):153–62.

Anti-emetic effect of ginger powder versus placebo as an add-on therapy in children and young adults receiving high emetogenic chemotherapy. PILLAI AK, SHARMA KK, GUPTA YK, BAKHSHI S. *Pediatr Blood Cancer* 2011;56(2):234–8.

Parental experience at the end-of-life in children with cancer: 'preservation' and 'letting go' in relation to loss. KARS MC, GRYPDONCK MH, DE KORTE-VERHOEF MC, KAMPS WA, MEIJER-VAN DEN BERGH EM, VERKERK MA, et al. *Support Care Cancer* 2011;19(1):27–35.

Pain and Pain Relief

Help-seeking behaviour for the treatment of chronic pain. CORNALLY N, MCCARTHY G. *Br J Community Nurs* 2011;16(2):90–8.

Total pain management. PANIKULAM A. *Indian J Palliat Care* 2011;S68–9.

The effects of pain, gender, and age on sleep/wake and circadian rhythm parameters in oncology patients at the initiation of radiation therapy. BUFFUM D, KOETTERS T, CHO M, MACERA L, PAUL SM, WEST C, et al. *J Pain* 2011;12(3):390–400.

Palliative sedation, not slow euthanasia: a prospective, longitudinal study of sedation in Flemish palliative care units. CLAESSENS P, MENTEN J, SCHOTSMANS P, BROECKAERT B. *J Pain Symptom Manage* 2011;41(1):14–24.

Effectiveness of a clinical intervention to eliminate barriers to pain and fatigue management in oncology. BORNEMAN T, KOCZYWAS M, SUN V, PIPER BF, SMITH-IDELL C, LAROYA B, et al. *J Palliat Med* 2011;14(2):197–205.

Nurses' perceived barriers to assessment and management of pain in a university hospital. ELCIGIL A, MALTEPE H, ESREFGIL G, MUTAFOGLU K. *J Pediatr Hematol Oncol* 2011;33 (Suppl 1):S33–8.

Chronic pain syndromes in cancer survivors. CHAPMAN S. *Nurs Stand* 2011;25(21):35–41.

The validity of neuropathy and neuropathic pain measures in patients with cancer receiving taxanes and platinum. SMITH EM, COHEN JA, PETT MA, BECK SL. *Oncol Nurs Forum* 2011;38(2):133–42.

Orofacial pain and predictors in oral squamous cell carcinoma patients receiving treatment. CHEN SC, LIAO CT, CHANG JT. *Oral Oncol* 2011;47(2):131–5.

Collaborative quality improvement to manage pain in acute care hospitals. HALLER G, AGORITSAS T, LUTHY C, PIGUET V, GRIESSER AC, PERNEGER T. *Pain Medicine* 2011;12(1):138–47.

The use of fentanyl buccal tablets as breakthrough medication in patients receiving chronic methadone therapy: an open label preliminary study. MERCADANTE S, FERRERA P, ARCURI E. *Support Care Cancer* 2011;19(3):435–8.

Supportive Care and Symptom Control

Identifying factors associated with falls in postmenopausal breast cancer survivors: a multi-disciplinary approach. WINTERS-STONE KM, TORGRIMSON B, HORAK F, EISNER A, NAIL L, LEO MC, et al. *Arch Phys Med Rehabil* 2011;92(4):646–52.

Symptom management of affective and cognitive disturbance with a group of cancer survivors. MCDUGALL GJ, BECKER H, ACEE TW, VAUGHAN PW, DELVILLE CL. *Arch Psychiatr Nurs* 2011;25(1):24–35.

Discharge advice in cancer patients posttreatment patients' report. DE LEEUW J, PRINS JB, MERKX MAW, MARRES HAM, VAN ACHTERBERG T. *Cancer Nurs* 2011;34(1):58–66.

Assessment of symptom distress in cancer patients before and after radiotherapy. TANG PL, WANG C, HUNG MF, LIN HS. *Cancer Nurs* 2011;34(1):78–84.

Symptom distress and self-care strategies of colorectal cancer patients with diarrhea up to 3 months after surgery. PAN LH, TSAI YF, CHEN ML, TANG R, CHANG CJ. *Cancer Nurs* 2011;34(1):E1–9.

Management of treatment-related symptoms in patients with breast cancer. BREM S, KUMAR NB. *Clin J Oncol Nurs* 2011;15(1):63–71.

Nursing considerations for optimal outpatient management of adult patients with leukemia treated with clofarabine. DRESSEL A, KWARI M, MCGREAL AM. *Clin J Oncol Nurs* 2011;15(1):E13–23.

Peripheral neuropathy in patients with colorectal cancer receiving oxaliplatin. TOFTHAGEN C, MCALLISTER RD, MCMILLAN SC. *Clin J Oncol Nurs* 2011;15(2):182–8.

Clostridium difficile infection in patients with cancer. WINKELJOHN D. *Clin J Oncol Nurs* 2011;15(2):215–7.

Presentation, impact and prevention of chemotherapy-induced hair loss: scalp cooling potentials and limitations. BREED WPM, VAN DEN HURK CJG, PEERBOOMS M. *Expert Rev Dermatol* 2011;6(1):109–25.

National trends in discharge disposition after hepatic resection for malignancy. SHAH BC, ULLRICH F, SMITH L, LEIPHRACKPAM P, LY Q, SASSON A, et al. *HPB (Oxford)* 2011;13(2):96–102.

Implementation of best practice for chemotherapy-induced nausea and vomiting in an acute care setting. CHUNG SK, AHN MJ, YOO JY, CHOI M, HYANG N, WOO SR, et al. *Int J Evid Based Healthc* 2011;9(1):32–8.

Reflections on lymphoedema, fungating wounds and the power of touch in the last weeks of life. FENTON S. *Int J Palliat Nurs* 2011;17(2):60–6.

Levels of fatigue in Chinese women with breast cancer and its correlates: a cross-sectional questionnaire survey. LI Y, YUAN C. *J Am Acad Nurse Pract* 2011;23(3):153–60.

Managing symptoms in patients with advanced lung cancer during radiotherapy: results of a psychoeducational randomized controlled trial. CHAN CW, RICHARDSON A, RICHARDSON J. *J Pain Symptom Manage* 2011;41(2):347–57.

Development and validation of an instrument for rapidly assessing symptoms: the general symptom distress scale. BADGER TA, SEGRIN C, MEEK P. *J Pain Symptom Manage* 2011;41(3):535–48.

Determining factors for hospital discharge status after radical cystectomy in a large contemporary cohort. AGHAZADEH MA, BAROCAS DA, SALEM S, CLARK PE, COOKSON MS, DAVIS R, et al. *J Urol* 2011;185(1):85–9.

A qualitative exploration of a respiratory distress symptom cluster in lung cancer: cough, breathlessness and fatigue. MOLASSIOTIS A, LOWE M, BLACKHALL F, LORIGAN P. *Lung Cancer* 2011;71(1):4.

Treatment-associated adverse event management in the advanced renal cell carcinoma patient treated with targeted therapies. RAVAUD A. *Oncologist* 2011;16 (Suppl 2):32–44.

Variation in the use of palliative radiotherapy at end of life: examining demographic, clinical, health service, and geographic factors in a population-based study. LAVERGNE MR, JOHNSTON

GM, GAO J, DUMMER TJ, RHEAUME DE. *Palliat Med* 2011;25(2):101–10.

Effects of functional electrical stimulation on dysphagia caused by radiation therapy in patients with nasopharyngeal carcinoma. LIN PH, HSIAO TY, CHANG YC, TING LL, CHEN WS, CHEN SC, et al. *Support Care Cancer* 2011;19(1):91–9.

An exploration of the influences on clinical decision making and the culture of blood transfusion practise in cancer-related anaemia using an ethnographic methodology. BISHOP L, FAITH-FULL S, ALLAN H. *Support Care Cancer* 2011;19(2):203–10.

Quality of Life

Breast cancer and women's sexuality. KATZ A. *Am J Nurs* 2011;111(4):63–7.

Extent of gastric resection impacts patient quality of life: the Dysfunction After Upper Gastrointestinal Surgery for Cancer (DAUGS32) scoring system. NAKAMURA M, HOSOYA Y, YANO M, DOKI Y, MIYASHIRO I, KURASHINA K, et al. *Ann Surg Oncol* 2011;18(2):314–20.

Nonpharmacologic supportive strategies to promote quality of life in patients experiencing cancer-related fatigue. WANCHAI A, ARMER JM, STEWART BR. *Clin J Oncol Nurs* 2011;15(2):203–14.

Validation of the QUAL-EC for assessing quality of life in patients with advanced cancer. LO C, BURMAN D, SWAMI N, GAGLIESE L, RODIN G, ZIMMERMANN C. *Eur J Cancer* 2011;47(4):554–60.

A randomised controlled trial of post-operative radiotherapy following breast-conserving surgery in a minimum-risk population. Quality of life at 5 years in the PRIME trial. WILLIAMS L, KUNKLER I, KING C, JACK W. *Health Technol Assess* 2011;15(12):1–64.

Changes in quality of life in patients with breast cancer. SALONEN P, KELLOKUMPU-LEHTINEN PL, TARKKA MT, KOIVISTO AM, KAUNONEN M. *J Clin Nurs* 2011;20(1–2):255–66.

Randomized pilot test of a simultaneous stage-matched exercise and diet intervention for breast cancer survivors. KIM SH, SHIN MS, LEE HS, LEE ES, RO JS, KANG HS, et al. *Oncol Nurs Forum* 2011;38(2):E97–106.

Unmet supportive care needs, psychological well-being and quality of life in patients living with multiple myeloma and their partners. MOLASSIOTIS A, WILSON B, BLAIR S, HOWE T, CAVET J. *Psychooncology* 2011;20(1):88–97.

Assessing longitudinal quality of life in prostate cancer patients and their spouses: a multilevel modeling approach. SONG L, NORTHOUSE LL, BRAUN TM, ZHANG L, CIMPRICH B, RONIS DL, et al. *Qual Life Res* 2011;20(3):371–81.

Patient Care Services

Barriers to providing palliative care for older people in acute hospitals. GARDINER C, COBB M, GOTT M, INGLETON C. *Age Ageing* 2011;40(2):233–8.

Developing policy, standard orders, and quality-assurance monitoring for palliative sedation therapy. GHAFLOOR VL, SILUS LS. *Am J Health Syst Pharm* 2011;68(6):523–7.

Integration of a clinical pharmacist into the hematology-oncology clinics at an academic medical center. VALGUS JM, FASO A, GREGORY KM, JARR S, SAVAGE S, CAIOLA S, et al. *Am J Health Syst Pharm* 2011;68(7):613–9.

Effect of a quality-improvement intervention on end-of-life care in the intensive care unit: a randomized trial. CURTIS JR, NIELSEN EL, TREECE PD, DOWNEY L, DOTOLO D, SHANNON SE, et al. *Am J Respir Crit Care Med* 2011;183(3):348–55.

Trajectories of end-of-life care in the emergency department. BAILEY C, MURPHY R, POROCK D. *Ann Emerg Med* 2011;57(4):362–9.

The values and value of patient-centered care. EPSTEIN RM, STREET RL, JR. *Ann Fam Med* 2011;9(2):100–3.

Advances in palliative medicine and end-of-life care. ABRAHM JL. *Annu Rev Med* 2011;62:187–99.

Integrating geriatric expertise into mainstream oncology care. PROUSE J. *Aust Nurs J* 2011;18(7):34–5.

Evaluation of nurse-led telephone follow up of low/intermediate risk prostate cancer patients. LEAHY M, FOROUDI F, HERSCHTAL A, KRISHNASAMY M, TAI K, SCHOFIELD P. *BJU Int* 2011;107:16.

Multidisciplinary cancer care in Spain, or when the function creates the organ: qualitative interview study. PRADES J, BORRAS JM. *BMC Public Health* 2011;11:141.

Changing times: preparing to meet palliative needs in the 21st Century. SEYMOUR J. *Br J Community Nurs* 2011;16(1):18.

Location of end-of-life care. WHILE A. *Br J Community Nurs* 2011;16(3):154.

Establishing a comprehensive breast magnetic resonance imaging service in a community hospital. PANU N, MORRIS E. *Can Assoc Radiol J* 2011;62(1):22–30.

Implementing low-cost, effective bereavement interventions in the acute care oncology setting. HINDS PS. *Cancer Nurs* 2011;34(1):1–2.

Development of an outpatient oncology symptom management clinic. WHITMER K, PRUEMER J, WILHELM C, MCCAIG L, HESTER JD. *Clin J Oncol Nurs* 2011;15(2):175–9.

The requirements of a specialist prostate cancer unit: a discussion paper from the European School of Oncology. VALDAGNI R, ALBERS P, BANGMA C, DRUDGE-COATES L, MAGNANI T, MOYNIHAN C, et al. *Eur J Cancer* 2011;47(1):1–7.

Do Greek healthcare users and healthcare providers share cancer care priorities? Analysing the results from two Delphi studies. EFSTATHIOU N, COLL AM, AMEEN J, DALY W. *Eur J Cancer Care (Engl)* 2011;20(2):179–86.

Hospice and palliative care: a growing and needed international phenomenon. TAYLOR EJ. *Home Healthc Nurse* 2011;29(3):133–4.

Randomized cross-over trial comparing inpatient and outpatient administration of high-dose cisplatin. COX KM, GOEL S, O'CONNELL RL, BOYER M, BEALE PJ, SIMES RJ, et al. *Intern Med J* 2011;41(2):172–8.

Have developments in palliative care services impacted on place of death of colorectal cancer patients in Ireland? A population-based study. A OC, FINN C, DEADY S, CARSIN AE, SHARP L. *Ir J Med Sci* 2011;180(1):91–6.

Home care nurses' decisions about the need for and amount of service at the end of life. STAJDUHAR KI, FUNK L, ROBERTS D, MCLEOD B, CLOUTIER-FISHER D, WILKINSON C, et al. *J Adv Nurs* 2011;67(2):276–86.

A UK-wide survey of follow-up practices for patients with high-grade glioma treated with radical intent. CATT SL, ANDERSON JL, CHALMERS AJ, FALLOWFIELD LJ. *J Eval Clin Pract* 2011;17(1):1–6.

Improving the continuity of patient care through the unification of inpatient and outpatient oncology pharmacy services into one department. LEDFORD A, MORGAN M. *J Oncol Pharm Pract* 2011;17(1):18.

Psychosocial Issues

End-of-life experiences: reaching out for compassion, communication, and connection-meaning of deathbed visions

and coincidences. FENWICK P, BRAYNE S. *Am J Hosp Palliat Care* 2011;28(1):7–15.

Balancing a changed life situation: the lived experience from next of kin to persons with inoperable lung cancer. STEINVALL K, JOHANSSON H, BERTERO C. *Am J Hosp Palliat Care* 2011;28(2):82–9.

Nursing resources: preparing patients for life after cancer treatment. VACHANI C, DI LULLO GA, HAMPSHIRE MK, HILL-KAYSER CE, METZ JM. *Am J Nurs* 2011;111(4):51–5.

Validation and testing of the Acceptability E-scale for web-based patient-reported outcomes in cancer care. TARIMAN JD, BERRY DL, HALPENNY B, WOLPIN S, SCHEPP K. *Appl Nurs Res* 2011;24(1):53–8.

Acceptability of the Distress Thermometer and Problem List to community-based telephone cancer helpline operators, and to cancer patients and carers. HUGHES KL, SARGEANT H, HAWKES AL. *BMC Cancer* 2011;11:46.

A randomised trial of a psychosocial intervention for cancer patients integrated into routine care: the PROMPT study (promoting optimal outcomes in mood through tailored psychosocial therapies). TURNER J, KELLY B, CLARKE D, YATES P, ARANDA S, JOLLEY D, et al. *BMC Cancer* 2011;11(1):48.

The perspectives of clinical staff and bereaved informal caregivers on the use of continuous sedation until death for cancer patients: the study protocol of the UNBIASED study. SEYMOUR J, RIETJENS J, BROWN J, VAN DER HEIDE A, STERCKX S, DELIENS L. *BMC Palliat Care* 2011;10(1):5.

Patient satisfaction with nurse-led follow-up for breast cancer: a questionnaire study. MCINTOSH J, FIDE CJ, FOWLER CA. *Breast Journal* 2011;17(2):213–4.

Self-management: enabling and empowering patients living with cancer as a chronic illness. MCCORKLE R, ERCOLANO E, LAZENBY M, SCHULMAN-GREEN D, SCHILLING LS, LORIG K, et al. *CA Cancer J Clin* 2011;61(1):50–62.

Experiences of a mindfulness-based stress-reduction intervention among patients with cancer. KVILLEM P, BRANSTROM R. *Cancer Nurs* 2011;34(1):24–31.

Adaptation status and related factors at 2 time points after surgery in patients with gastrointestinal tract cancer. MIZUNO M, ASANO Y, SUMI T, INOUE Y. *Cancer Nurs* 2011;34(1):41–8.

"Will you be there with me?" The human connection in oncology nursing care. HINDS PS. *Cancer Nurs* 2011;34(2):87–8.

Improving hospice outcomes through systematic assessment: a clinical trial. MCMILLAN SC, SMALL BJ, HALEY WE. *Cancer Nurs* 2011;34(2):89–97.

Left hanging in the air: experiences of living with cancer as expressed through e-mail communications with oncology nurses. GRIMSBO GH, FINSET A, RULAND CM. *Cancer Nurs* 2011;34(2):107–16.

Intention, needs, and expectations of cancer patients participating in clinical trials. WANG LH, TSAI YF, CHEN JS, TSAI PK. *Cancer Nurs* 2011;34(2):117–23.

The effect of a sexual life reframing program on marital intimacy, body image, and sexual function among breast cancer survivors. JUN EY, KIM S, CHANG SB, OH K, KANG HS, KANG SS. *Cancer Nurs* 2011;34(2):142–9.

Deliberating over mastectomy: survival and social roles. FANG SY, SHU BC, FETZER SJ. *Cancer Nurs* 2011;34(2):E21–8.

Education and health promotion for new patients with cancer. MANN KS. *Clin J Oncol Nurs* 2011;15(1):55–61.

Looking beyond recurrence: comorbidities in cancer survivors. EDGINGTON A, MORGAN MA. *Clin J Oncol Nurs* 2011;15(1):E3–12.

Innovation in survivor care. TROTTER K, FRAZIER A, HENDRICKS CK, SCARSELLA H. *Clin J Oncol Nurs* 2011;15(2):E24–33.

Psychosocial impact of cutaneous toxicities associated with epidermal growth factor receptor-inhibitor treatment. WHITE KJ, ROYDHOUSE JK, SCOTT K. *Clin J Oncol Nurs* 2011;15(1):7.

Social support from health care providers is associated with reduced illness intrusiveness in hemodialysis patients. NERI L, BRANCACCIO D, ROCCA REY LA, ROSSA F, MARTINI A, ANDREUCCI VE. *Clin Nephrol* 2011;75(2):125–34.

End-of-life caregiving trajectories. PENROD J, HUPCEY JE, BANEY BL, LOEB SJ. *Clin Nurs Res* 2011;20(1):7–24.

Patients unsatisfied with palliative care: improving documentation that focuses on patients' needs. RUBIO V, VOSS K. *Dimens Crit Care Nurs* 2011;30(2):97–9.

The lived experience of the early postoperative period after colorectal cancer surgery. JONSSON C, STENBERG A, FRISMAN G. *Eur J Cancer Care (Engl)* 2011;20(2):248–56.

Professionals' opinion on follow-up in breast cancer patients: perceived purpose and influence of patients' risk factors. VAN HEZEWIJK M, HILLE ETM, SCHOLTEN AN, MARIJNEN CAM, STIGGELBOUT AM, VAN DE VELDE CJH. *Eur J Surg Oncol* 2011;37(3):217–24.

Research on supporting patients and family caregivers with palliative and end-of-life care. MANDEL M, SAVOY E. *Home Healthc Nurse* 2011;29(3):148–54.

Hard choices: a qualitative study of influences on the treatment decisions made by advanced lung cancer patients. THORNTON M, PARRY M, GILL P, MEAD D, MACBETH F. *Int J Palliat Nurs* 2011;17(2):68–74.

Measuring symptom distress in palliative care: psychometric properties of the Symptom Assessment Scale (SAS). AOUN SM, MONTEROSSO L, KRISTJANSON LJ, MCCONIGLEY R. *J Palliat Med* 2011;14(3):315–21.

Multimedia education programme for patients with a stoma: effectiveness evaluation. LO SF, WANG YT, WU LY, HSU MY, CHANG SC, HAYTER M. *J Adv Nurs* 2011;67(1):68–76.

Effects of a home-based walking program on perceived symptom and mood status in postoperative breast cancer women receiving adjuvant chemotherapy. YANG CY, TSAI JC, HUANG YC, LIN CC. *J Adv Nurs* 2011;67(1):158–68.

Telecare management of pain and depression in patients with cancer: patient satisfaction and predictors of use. JOHNS SA, KROENKE K, THEOBALD DE, WU J, TU W. *J Ambul Care Manage* 2011;34(2):126–39.

A randomised controlled trial of the effect of music therapy and verbal relaxation on chemotherapy-induced anxiety. LIN MF, HSIEH YJ, HSU YY, FETZER S, HSU MC. *J Clin Nurs* 2011;20(7–8):988–99.

The modified self: family caregivers' experiences of caring for a dying family member at home. CARLANDER I, SAHLBERG-BLOM E, HELLSTROM I, TERNESTEDT BM. *J Clin Nurs* 2011;20(7–8):1097–105.

Factors associated with psychosocial needs of close relatives of women under treatment for breast cancer. SCHMID-BUCHI S, BART, DASSEN T, HALFENS RJG. *J Clin Nurs* 2011;20(7–8):1115–24.

Differences in sleep disturbance parameters between oncology outpatients and their family caregivers. CARNEY S, KOETTERS T, CHO M, WEST C, PAUL SM, DUNN L, et al. *J Clin Oncol* 2011;29(8):1001–6.

Can this patient be discharged home? Factors associated with at-home death among patients with cancer. ALONSO-BABARRO A, BRUERA E, VARELA-CERDEIRA M, BOYA-CRISTIA MJ, MADERO R, TORRES-VIGIL I, et al. *J Clin Oncol* 2011;29(9):1159–67.

Common psychiatric problems in older patients with cancer: report of one-year experience of a psychiatry outpatient clinic. ALICI Y, WEISS T, HOLLAND JC, NELSON C, ROTH A. *J Geriatr Oncol* 2011;2(2):137–41.

Needs of older cancer survivors in a community cancer care setting. SCHLAIRET MC. *J Gerontol Nurs* 2011;37(1):36–41.

A biobehavioral perspective on depressive symptoms in patients with cerebral astrocytoma. STARKWEATHER AR, SHERWOOD P, LYON DE, MCCAIN NL, BOVBJERG DH, BROADDUS WC. *J Neurosci Nurs* 2011;43(1):17–28.

Causal attribution among cancer survivors of the 10 most common cancers. FERRUCCI LM, CARTMEL B, TURKMAN YE, MURPHY ME, SMITH T, STEIN KD, et al. *J Psychosoc Oncol* 2011;29(2):121–40.

Repressive coping style: relationships with depression, pain, and pain coping strategies in lung cancer out patients. PRASERTSRI N, HOLDEN J, KEEFE FJ, WILKIE DJ. *Lung Cancer* 2011;71(2):235–40.

The attitudes, communication, treatment, and support intervention to reduce breast cancer treatment disparity. ROSENZWEIG M, BRUFISKY A, RASTOGI P, PUHALLA S, SIMON J, UNDERWOOD S. *Oncol Nurs Forum* 2011;38(1):85–9.

The role of information sources and objective risk status on lymphedema risk-minimization behaviors in women recently diagnosed with breast cancer. SHERMAN KA, KOELMEYER L. *Oncol Nurs Forum* 2011;38(1):E27–36.

Changes in caregiver perceptions over time in response to providing care for a loved one with a primary malignant brain tumor. SHERWOOD P, HRICIK A, DONOVAN H, BRADLEY SE, GIVEN BA, BENDER CM, et al. *Oncol Nurs Forum* 2011;38(2):149–55.

Experience of newly diagnosed patients with sarcoma receiving chemotherapy. GRANDA-CAMERON C, HANLON AL, LYNCH MP, HOULDIN A. *Oncol Nurs Forum* 2011;38(2):160–9.

Older women's reflections on accessing care across their breast cancer trajectory: navigating beyond the triple barriers. PIETERS HC, HEILEMANN MV, GRANT M, MALY RC. *Oncol Nurs Forum* 2011;38(2):175–84.

The supportive care needs of men with advanced prostate cancer. CARTER N, BRYANT-LUKOSIUS D, DICENSO A, BLYTHE J, NEVILLE AJ. *Oncol Nurs Forum* 2011;38(2):189–98.

Exploring a diffusion of benefit: does a woman with breast cancer derive benefit from an intervention delivered to her partner? COCHRANE BB, LEWIS FM, GRIFFITH KA. *Oncol Nurs Forum* 2011;38(2):207–14.

Relationship between hope and fatigue characteristics in newly diagnosed outpatients with cancer. SHUN SC, HSIAO FH, LAI YH. *Oncol Nurs Forum* 2011;38(2):E81–6.

Sexuality in Irish women with gynecologic cancer. CLEARY V, HEGARTY J, MCCARTHY G. *Oncol Nurs Forum* 2011;38(2):E87–96.

Don't ask, don't tell? The unique needs of GLBT patients with cancer. PILLET S. *ONS Connect* 2011;26(1):8–12.

Factors affecting hope in a sample of fatigued breast cancer outpatients. SCHJOLBERG TK, DODD M, HENRIKSEN N, RUSTOEN T. *Palliat Support Care* 2011;9(1):63–72.

Measuring the impact of nurse cue-response behaviour on cancer patients' emotional cues. OGUCHI M, JANSEN J, BUTOW P, COLAGIURI B, DIVINE R, DHILLON H. *Patient Educ Couns* 2011;82(2):163–8.

Impact of dementia on cancer discovery and pain. IRITANI S, TOHGI M, MIYATA H, OHI G. *Psychogeriatrics* 2011;11(1):6–13.

Objective burden, resources, and other stressors among informal cancer caregivers: a hidden quality issue? VAN RYN M, SANDERS S, KAHN K, VAN HOUTVEN C, GRIFFIN JM, MARTIN M, et al. *Psychooncology* 2011;20(1):44–52.

Do men and their wives see it the same way? Congruence within couples during the first year of prostate cancer. EZER H, CHACHAMOVICH JL, CHACHAMOVICH E. *Psychooncology* 2011;20(2):155–64.

Music in human terminality: the family members' conceptions. SALES CA, SILVA VA, PILGER C, MARCON SS. *Rev Esc Enferm USP* 2011;45(1):138–45.

Evaluation of sexual function in patients with gynecologic cancer and evidence-based nursing interventions. OSKAY, BEJI N, BAL M, YILMAZ S. *Sex Disabil* 2011;29(1):33–41.

Evaluation of a pilot 'peer support' training programme for volunteers in a hospital-based cancer information and support centre. KINNANE NA, WATERS T, ARANDA S. *Support Care Cancer* 2011;19(1):81–90.

Prospective evaluation of a colorectal cancer nurse follow-up clinic. JEYARAJAH S, ADAMS KJ, HIGGINS L, RYAN S, LEATHER AJ, PAPAGRIGORIADIS S. *Colorectal Dis* 2011;13(1):6.

How do non-physician clinicians respond to advanced cancer patients' negative expressions of emotions? ALEXANDER SC, POLLAK KI, MORGAN PA, STRAND J, ABERNETHY AP, JEFFREYS AS, et al. *Support Care Cancer* 2011;19(1):155–9.

An evaluation of the factors that affect the health-related quality of life of children following myelosuppressive chemotherapy. BAGGOTT CR, DODD M, KENNEDY C, MARINA N, MATTHAY KK, COOPER B, et al. *Support Care Cancer* 2011;19(3):353–61.

Effect of virtual reality on time perception in patients receiving chemotherapy. SCHNEIDER SM, KISBY CK, FLINT EP. *Support Care Cancer* 2011;19(4):555–64.

Palliative care in lung cancer. FERRELL B, KOCZYWAS M, GRANNIS F, HARRINGTON A. *Surg Clin North Am* 2011;91(2):403–17.

Challenges in understanding functional decline, prognosis, and transitions in advanced illness. DOWNING GM, LYND PJ, GALLAGHER R, HOENS A. *Top Geriatr Rehabil* 2011;27(1):18–28.

Professional Issues

Ethics, cancer, and truth telling. JOHNSTONE MJ. *Aust Nurs J* 2011;18(8):21.

Teaching by telephone: the BCN Forum initiative. HARMER V. *B J Nurs* 2011;20(3):138.

Challenges in interpreting cytokine biomarkers in bio-behavioral research: a breast cancer exemplar. LYON D, WALTER J, MUNRO CL, SCHUBERT CM, MCCAIN NL. *Biol Res Nurs* 2011;13(1):25–31.

The sexuality discussion: tools for the oncology nurse. KAPLAN M, PACELLI R. *Clin J Oncol Nurs* 2011;15(1):15–7.

Core competencies for bone marrow transplantation nurse practitioners. KNOPF KE. *Clin J Oncol Nurs* 2011;15(1):102–5.

Establishing an evidence-based inpatient medical oncology fluid balance measurement policy. ALEXANDER L, ALLEN D. *Clin J Oncol Nurs* 2011;15(1):23–5.

Oncology nurse navigator. CASE MA. *Clin J Oncol Nurs* 2011;15(1):33–40.

Evaluation of a patient navigation program. KOH C, NELSON JM, COOK PF. *Clin J Oncol Nurs* 2011;15(1):41–8.

The impact of personal loss on the experience of health professions: graduate students in end-of-life and bereavement care. SUPIANO KP, VAUGHN-COLE B. *Death Stud* 2011;35(1):73–89.

Nurses as patient navigators in cancer diagnosis: review, consultation and model design. GILBERT J, GREEN E, LANKSHEAR S, HUGHES E, BURKOSKI V, SAWKA C. *Eur J Cancer Care (Engl)* 2011;20(2):228–36.

Using palliative care assessment tools to influence and enhance clinical practice. RAWLINGS D, HENDRY K, MYLNE S, BANFIELD M, YATES P. *Home Healthc Nurse* 2011;29(3):139–45.

Collaboration and autonomy: perceptions among nurse practitioners. MAYLONE MM, RANIERI L, QUINN GRIFFIN MT, MCNULTY R, FITZPATRICK JJ. *J Am Acad Nurse Pract* 2011;23(1):51–7.

What do surgical oncology staff nurses know about colorectal cancer ostomy care? GEMMILL R, KRAVITS K, ORTIZ M, ANDERSON C, LAI L, GRANT M. *J Contin Educ Nurs* 2011;42(2):81–8.

A community partnership approach to building and empowering a palliative care resource nurse team. LEBARON VT, BOHNENKAMP SK, REED PG. *J Hosp Palliat Nurs* 2011;13(1):31–40.

The interprofessional radiation oncology rounds (IROR) as a new model of continuing education – program evaluation. SZUMACHER E, WONG J, BARKER R. *J Med Imaging Radiat Oncol* 2011;42(1):10–4.

Evaluating compliance of chemotherapy administration safety standards of practice in an Australian oncology day centre. LARIZZA M, MARSHALL C, DOOLEY M, MORRIS K, MILLER K, SCHWARZ M, et al. *J Oncol Pharm Pract* 2011;17(1):17.

Exploring the dynamics of interdisciplinary palliative care teams in providing psychosocial care: "Everybody thinks that everybody can do it and they can't". O'CONNOR M, FISHER C. *J Palliat Med* 2011;14(2):191–6.

Exemplary professional practice through nurse peer review. BRANOWICKI P, DRISCOLL M, HICKEY P, RENAUD K, SPORING E. *J Pediatr Nurs* 2011;26(2):128–36.

Pediatric oncology nurse and grief education: a telephone survey. CONTE TM. *J Pediatr Oncol Nurs* 2011;28(2):93–9.

Nurses lack confidence in providing end of life care. SPRINKS J. *Nurs Older People* 2011;23(2):6–7.

Relational and embodied knowing: nursing ethics within the interprofessional team. WRIGHT D, BRAJTMAN S. *Nursing Ethics* 2011;18(1):20–30.

Healthcare team members' perception of staffing adequacy in a comprehensive cancer center. NELSON BA. *Oncol Nurs Forum* 2011;38(1):52–9.

An interdepartmental team approach to develop, implement, and sustain an oncology nursing orientation program. KUHRİK N, LAUB L, KUHRİK M, ATWATER K. *Oncol Nurs Forum* 2011;38(2):115–8.

The British Columbia patient navigation model: a critical analysis. PEDERSEN AE, HACK TF. *Oncol Nurs Forum* 2011;38(2):200–6.

How much time do nurses need to give chemotherapy? BECZE E. *ONS Connect* 2011;26(1):14–5.

Can the global uptake of palliative care innovations be improved? Insights from a bibliometric analysis of the Edmonton Symptom Assessment System. CUMMINGS G, BIONDO PD, CAMPBELL D, STILES C, FAINSINGER R, MUISE M, et al. *Palliat Med* 2011;25(1):71–82.

The biology of cancer: what do oncology nurses really need to know. EGGERT J. *Semin Oncol Nurs* 2011;27(1):3–12.

Infusion of pharmacogenetics into cancer care. PROWS CA. *Semin Oncol Nurs* 2011;27(1):45–53.

Ethical, legal, psychosocial, and cultural implications of genomics for oncology nurses. TWOMEY J. *Semin Oncol Nurs* 2011;27(1):54–63.

Essential genetic and genomic nursing competencies for the oncology nurse. JENKINS J. *Semin Oncol Nurs* 2011;27(1):64–71.

The colorectal cancer multidisciplinary team and the inter-linked role of the clinical nurse specialist. KELLY MJ, MASTERMAN J. *Surgery* 2011;29(1):29–32.