
Index Volume 15 · 2008

Numbers 1–2

Editorial 2008

H. Wagner, Y. Asakawa, D. Awang, N. Farnsworth and G. Ulrich-Merzenich 1

Extracts of *Valeriana officinalis* L. s.l. show anxiolytic and antidepressant effects but neither sedative nor myorelaxant properties

M. Hattesoehl, B. Feistel, H. Sievers, R. Lehnfeld, M. Hegger and H. Winterhoff. 2

***Lycopus europaeus* (Gypsywort): Effects on the thyroidal parameters and symptoms associated with thyroid function**

A.-M. Beer, K.R. Wiebelitz and H. Schmidt-Gayk. 16

Enhanced antioxidant bioactivity of *Salvia miltiorrhiza* (Danshen) products prepared using nanotechnology

J.-R. Liu, G.-F. Chen, H.-N. Shih and P.-C. Kuo 23

Comparison of the estrogenic potencies of standardized soy extracts by immature rat uterotrophic bioassay

M. de Lima Toccafondo Vieira, R.F. Duarte, L.M.M. Campos and E.d.A. Nunan 31

Correlation of antioxidant activity and major isoflavonoid contents of the phytoestrogen-rich *Pueraria mirifica* and *Pueraria lobata* tubers

W. Cherdshewasart and W. Sutjit. 38

The hormonal effects of *Tribulus terrestris* and its role in the management of male erectile dysfunction – an evaluation using primates, rabbit and rat

K. Gauthaman and A.P. Ganesan. 44

Effects of total flavonoids and flavonol glycosides from *Epimedium koreanum* Nakai on the proliferation and differentiation of primary osteoblasts

D.-W. Zhang, Y. Cheng, N.-L. Wang, J.-C. Zhang, M.-S. Yang and X.-S. Yao. 55

Comparative *in vitro* study on the anti-herpetic effect of phytochemically characterized aqueous and ethanolic extracts of *Salvia officinalis* grown at two different locations

P. Schnitzler, S. Nolkemper, F.C. Stintzing and J. Reichling 62

Inhibitory effect of essential oils against herpes simplex virus type 2

C. Koch, J. Reichling, J. Schneelee and P. Schnitzler 71

Phytochemical analysis and *in vitro* evaluation of the biological activity against herpes simplex virus type 1 (HSV-1) of *Cedrus libani* A. Rich.

M.R. Loizzo, A. Saab, R. Tundis, G.A. Statti, I. Lampronti, F. Menichini, R. Gambari, J. Cinatl and H.W. Doerr. 79

Comparative study of *Rhodiola* preparations on behavioral despair of rats

A. Panossian, N. Nikoyan, N. Ohanyan, A. Hovhannisyanyan, H. Abrahamyan, E. Gabrielyan and G. Wikman 84

Inhibitory effect of *Erigeron breviscapus* extract and its flavonoid components on GABA shunt enzymes

Y.H. Tao, D.Y. Jiang, H.B. Xu and X.L. Yang 92

Hypoglycemic effects of a sesquiterpene glycoside isolated from leaves of loquat (*Eriobotrya japonica* (Thunb.) Lindl.)

J. Chen, W.L. Li, J.L. Wu, B.R. Ren and H.Q. Zhang 98

Umbelliprenin from <i>Ferula szowitsiana</i> inhibits the growth of human M4Beu metastatic pigmented malignant melanoma cells through cell-cycle arrest in G1 and induction of caspase-dependent apoptosis C. Barthelemy, S. Lim, M. Iranshahi and P. Chollet.	103
Taspine isolated from <i>Radix et Rhizoma Leonticis</i> inhibits growth of human umbilical vein endothelial cell (HUVEC) by inducing its apoptosis Y. Zhang, L. He and Y. Zhou	112
Hepatocellular toxicity of kava leaf and root extracts S. Lüde, M. Török, S. Dieterle, R. Jäggi, K.B. Büter and S. Krähenbühl	120
Plants of the American continent with antiulcer activity H.S. Falcão, I.R. Mariath, M.F.F.M. Diniz, L.M. Batista and J.M. Barbosa-Filho	132
Apoptotic effect of hesperidin through caspase3 activation in human colon cancer cells, SNU-C4 H.J. Park, M.-J. Kim, E. Ha and J.-H. Chung	147
BOOK REVIEW	
Ethnopharmacology of Medicinal Plants: Asia and the Pacific J. Graham	152

Number 3

Cholesterol reduction using psyllium husks – Do gastrointestinal adverse effects limit compliance? Results of a specific observational study B. Uehleke, M. Ortiz and R. Stange	153
Aescin and troxerutin as a successful combination for the treatment of inner ear perfusion disturbances C.P. Siegers, S. Syed Ali and M. Tegtmeier	160
Ginkgo biloba extract improves coronary blood flow in healthy elderly adults: Role of endothelium-dependent vasodilation Y. Wu, S. Li, W. Cui, X. Zu, J. Du and F. Wang	164
Suppression of tissue necrosis factor-alpha or hydrogen peroxide-activated primary human T lymphocytes by <i>Ginkgo biloba</i> extract through down-regulation of activator protein-1 signal transduction T.-P. Tsao, J.-H. Lai, S.-P. Yang, L.-J. Ho, J.-T. Liou, C.-C. Cheng and S.-M. Cheng	170
Inhibitory effects of thunberginols A and B isolated from <i>Hydrangeae Dulcis Folium</i> on mRNA expression of cytokines and on activation of activator protein-1 in RBL-2H3 cells H. Matsuda, Q. Wang, K. Matsuhira, S. Nakamura, D. Yuan and M. Yoshikawa	177
Effects of aqueous hop (<i>Humulus Lupulus</i> L.) extract on vascular reactivity in rats: Mechanisms and influence of gender and hormonal status H. Figard, C. Girard, F. Mougin, C. Demougeot and A. Berthelot	185
Positive antibacterial co-action between hop (<i>Humulus lupulus</i>) constituents and selected antibiotics P. Natarajan, S. Katta, I. Andrei, V. Babu Rao Ambati, M. Leonida and G.J. Haas	194
Antiviral activity and mode of action of a peptide isolated from <i>Sorghum bicolor</i> I. Camargo Filho, D.A.G. Cortez, T. Ueda-Nakamura, C.V. Nakamura and B.P. Dias Filho	202

Evaluation of antiprotozoal and antimycobacterial activities of the resin glycosides and the other metabolites of <i>Scrophularia cryptophila</i> D. Tasdemir, R. Brun, S.G. Franzblau, Y. Sezgin and I. Çalıř	209
Antimutagenicity of hops (<i>Humulus lupulus</i> L.): bioassay-directed fractionation and isolation of xanthohumol J. Kac, J. Plazar, A. Mlinarić, B. Žegura, T.T. Lah and M. Filipiĉ.	216
<i>In vitro</i> cytogenetic effects of <i>Andrographis paniculata</i> (kalmegh) on arsenic G. Avani and M.V. Rao	221
SHORT COMMUNICATION	
Effects of carvacrol upon the liver of rats undergoing partial hepatectomy M. Uyanoglu, M. Canbek, E. Aral and K. Husnu Can Baser	226

Number 4

Effect of cream containing <i>Melia azedarach</i> flowers on skin diseases in children R. Saleem, R. Rani, M. Ahmed, F. Sadaf, S.I. Syed Iqbal Ahmad, N. ul Zafar, S.S. Khan, B.S. Siddiqui, Lubna, F. Ansari, S.A. Khan and S. Faizi	231
The gastric ulcer protective and healing role of cysteine proteinases from <i>Carica candamarcensis</i> V.J. Mello, M.T.R. Gomes, F.O. Lemos, J.L. Delfino, S.P. Andrade, M.T.P. Lopes and C.E. Salas	237
Evaluation of the effects of the herbal product Catuama[®] in inflammatory and neuropathic models of nociception in rats N.L.M. Quintão, J. Ferreira, A. Beirith, M.M. Campos and J.B. Calixto.	245
Anti-hepatitis B virus activities of triterpenoid saponin compound from <i>Potentilla anserine</i> L. Y.-L. Zhao, G.-M. Cai, X. Hong, L. Shan and X.-H. Xiao	253
A comparable, chemical and pharmacological analysis of the traditional Chinese medicinal herbs <i>Oldenlandia diffusa</i> and <i>O. corymbosa</i> and a new valuation of their biological potential Z. Liang, M. He, W. Fong, Z. Jiang and Z. Zhao	259
Differential protein expression in mouse splenic mononuclear cells treated with polysaccharides from spores of <i>Ganoderma lucidum</i> C. Ma, S.-H. Guan, M. Yang, X. Liu and De.-An Guo	268
Determination and pharmacokinetic study of indirubin in rat plasma by high-performance liquid chromatography X.Y. Deng, S.N. Zheng, G.H. Gao, G. Fan and F. Li	277
<i>Piper longum</i> Linn. Extract inhibits TNF-α-induced expression of cell adhesion molecules by inhibiting NF-κB activation and microsomal lipid peroxidation N. Singh, S. Kumar, P. Singh, H.G. Raj, A.K. Prasad, V.S. Parmar and B. Ghosh	284
Chemoprofile and bioactivities of <i>Taverniera cuneifolia</i> (Roth) Arn.: A wild relative and possible substitute of <i>Glycyrrhiza glabra</i> L. G.B. Zore, U.B. Winston, B.S. Surwase, N.S. Meshram, V.D. Sangle, S.S. Kulkarni and S. Mohan Karuppayil	292
SHORT COMMUNICATIONS	
Antinociceptive effect of <i>Russelia equisetiformis</i> leave extracts: Identification of its active constituents E.O. Awe, A. Adeloye, T. Idowu, O.A. Olajide and J. Makinde	301
Inhibitory effect of compounds from Zingiberaceae species on human platelet aggregation I. Jantan, S.M. Raweh, H.M. Sirat, S. Jamił, Y.H. Mohd Yasin, J. Jalil and J.A. Jamal	306

BOOK REVIEWS

Understanding Medicinal Plants: Their Chemistry and Therapeutic Action D. Iyer and Z. Jim Wang	310
Vitex: The Women's Herb D.E. Webster and Z.J. Wang	311
British Herbal Compendium H.H.S. Fong	312

Number 5

The multicomponent phytopharmaceutical SKI306X inhibits <i>in vitro</i> cartilage degradation and the production of inflammatory mediators A. Hartog, S. Hougee, J. Faber, A. Sanders, C. Zuurman, H.F. Smit, P.M. van der Kraan, M.A. Hoijer and J. Garssen	313
Anti-inflammatory activities of triterpenoid saponins from <i>Polygala japonica</i> H. Wang, J. Gao, J. Kou, D. Zhu and B. Yu	321
Quebrachitol-induced gastroprotection against acute gastric lesions: Role of prostaglandins, nitric oxide and K⁺_{ATP} channels T.M. de Olinda, T.L.G. Lemos, L.L. Machado, V.S. Rao and F.A. Santos	327
Antinociceptive activity of the volatile oils of <i>Hyptis pectinata</i> L. Poit. (Lamiaceae) genotypes M.F. Arrigoni-Blank, A.R. Antonioli, L.C. Caetano, D.A. Campos, A.F. Blank and P.B. Alves	334
Berberine inhibits TPA-induced MMP-9 and IL-6 expression in normal human keratinocytes S. Kim, Y. Kim, J.E. Kim, K.H. Cho and J.H. Chung	340
Anti-eosinophilic effect of <i>Lafoensia pacari</i> in toxocariasis A.P. Rogerio, A. Sá-Nunes, D.A. Albuquerque, E.G. Soares and L.H. Faccioli	348
Effect of Ninjin-yoei-to (Rensheng-Yangrong-Tang) on olfactory behavior after olfactory nerve transection A. Yamasaki, K. Sugahara, T. Takemoto, T. Ikeda and H. Yamashita	358
<i>In vitro</i> antiplasmodial activity of extract and constituents from <i>Esenbeckia febrifuga</i>, a plant traditionally used to treat malaria in the Brazilian Amazon M.F. Dolabela, S.G. Oliveira, J.M. Nascimento, J.M. Peres, H. Wagner, M.M. Póvoa and A.B. de Oliveira	367
Transport of sennosides and sennidines from <i>Cassia angustifolia</i> and <i>Cassia senna</i> across Caco-2 monolayers – an <i>in vitro</i> model for intestinal absorption B. Waltenberger, B. Avula, M. Ganzera, I.A. Khan, H. Stuppner and S.I. Khan.	373
<i>Pelargonium sidoides</i> for acute bronchitis: A systematic review and meta-analysis T.B. Agbabiaka, R. Guo and E. Ernst	378
Three angiotensin-converting enzyme inhibitors from <i>Rabdosia coetsa</i> Q.-L. Li, B.-G. Li, Y. Zhang, X.-P. Gao, C.-Q. Li and G.-L. Zhang.	386
An Illustrated Chinese Materia Medica J.K. Fordjour and N.L. Katz	389

Numbers 6–7

Efficacy of the natural antioxidant astaxanthin in the treatment of functional dyspepsia in patients with or without *Helicobacter pylori* infection: A prospective, randomized, double blind, and placebo-controlled study

L. Kupcinskas, P. Lafolie, Å. Lignell, G. Kiudelis, L. Jonaitis, K. Adamonis, L.P. Andersen and T. Wadström 391

Boswellic acids: A leukotriene inhibitor also effective through topical application in inflammatory disorders

S. Singh, A. Khajuria, S.C. Taneja, R.K. Johri, J. Singh and G.N. Qazi 400

The gastric ulcer protective effect of boswellic acids, a leukotriene inhibitor from *Boswellia serrata*, in rats

S. Singh, A. Khajuria, S.C. Taneja, R.K. Khajuria, J. Singh, R.K. Johri and G.N. Qazi 408

Anti-inflammatory and analgesic effects and molecular mechanisms of JCICM-6, a purified extract derived from an anti-arthritic Chinese herbal formula

Y.F. Wong, H. Zhou, J.R. Wang, Y. Xie, H.X. Xu and L. Liu 416

Antinociceptive activity of petroleum ether fraction from the MeOH extracts of *Paederia scandens* in mice

Y.-F. Chen, N. Li, Y.-L. Jiao, P. Wei, Q.-Y. Zhang, K. Rahman, H.-C. Zheng and L.-P. Qin 427

Effect of seabuckthorn leaf extracts on circulating energy fuels, lipid peroxidation and antioxidant parameters in rats during exposure to cold, hypoxia and restraint (C–H–R) stress and post stress recovery

S. Saggu and R. Kumar 437

Effects of carvacrol on defects of ischemia-reperfusion in the rat liver

M. Canbek, M. Uyanoglu, G. Bayramoglu, H. Senturk, N. Erkasap, T. Koken, S. Uslu, C. Demirustu, E. Aral and K. Husnu Can Baser 447

Changes in antioxidant defense status in hypercholesterolemic rats treated with *Ajuga iva*

S. Bouderbala, M. Lamri-Senhadj, J. Prost, M.A. Lacaille-Dubois and M. Bouchenak 453

Inhibition of gastric acid secretion by a standardized aqueous extract of *Cecropia glaziovii* Sneth and underlying mechanism

C. Souccar, R.M. Cysneiros, M.M. Tanae, L.M.B. Torres, M.T.R. Lima-Landman and A.J. Lapa 462

Hepatoprotective potential of *Fumaria indica* Pugsley whole plant extracts, fractions and an isolated alkaloid protopine

A. Rathi, A.K. Srivastava, A. Shirwaikar, A.K. Singh Rawat and S. Mehrotra 470

The antidepressant-like effects of *Aloysia polystachya* (Griseb.) Moldenke (Verbenaceae) in mice

M.C. Helli6n-Ibarrola, D.A. Ibarrola, Y. Montalbetti, M.L. Kennedy, O. Heinichen, M. Campuzano, E.A. Ferro, N. Alvarenga, J. Tortoriello, T.C.M. De Lima and S. Mora 478

Further pharmacological evidence of the neuroprotective effect of catalpol from *Rehmannia glutinosa*

X. Zhang, A. Zhang, B. Jiang, Y. Bao, J. Wang and L. An 484

The effect of saffron, *Crocus sativus* stigma, extract and its constituents, safranal and crocin on sexual behaviors in normal male rats

H. Hosseinzadeh, T. Ziaee and A. Sadeghi 491

Bioavailability of apocynin through its conversion to glycoconjugate but not to diapocynin

Q. Wang, R.E. Smith, R. Luchtefeld, A.Y. Sun, A. Simonyi, R. Luo and G.Y. Sun 496

Growth inhibitory activity of extracts and compounds from <i>Cimicifuga</i> species on human breast cancer cells	
L.S. Einbond, Y. Wen-Cai, K. He, H.-a. Wu, E. Cruz, M. Roller and F. Kronenberg	504
<i>In vitro</i> cytostatic and immunomodulatory properties of the medicinal mushroom <i>Lentinula edodes</i>	
C. Israilides, D. Kletsas, D. Arapoglou, A. Philippoussis, H. Pratsinis, A. Ebringerová, V. Hřibalová and S.E. Harding.	512
Guatemalan plants extracts as virucides against HIV-1 infection	
L.M. Bedoya, A. Álvarez, M. Bermejo, N. González, M. Beltrán, S. Sánchez-Palomino, S.M. Cruz, I. Gaitán, E. del Olmo, R. Escarcena, P.A. García, A. Cáceres, A. San Feliciano and J. Alcamí.	520
Acute rhabdomyolysis caused by <i>Spirulina (Arthrospira platensis)</i>	
E.E. Mazokopakis, C.M. Karefilakis, A.N. Tsartsalis, A.N. Milkas and E.S. Ganotakis.	525
SHORT COMMUNICATIONS	
Antiproliferative activity of <i>Pterodon pubescens</i> Benth. seed oil and its active principle on human melanoma cells	
C.R. Vieira, M.F. Marques, P.R. Soares, L. Matuda, C.M.A. de Oliveira, L. Kato, C.C. da Silva and L.A. Guillo.	528
Antimalarial activity of anthothecol derived from <i>Khaya anthotheca (Meliaceae)</i>	
S.-E. Lee, M.-R. Kim, J.-H. Kim, G.R. Takeoka, T.-W. Kim and B.-S. Park	533
Impact of herbal medicines on physical impairment	
C. Chrubasik, A. Black, U. Müller-Ladner and S. Chrubasik	536
SYMPOSIUM	
DPhG – Weih ranch (Boswellia) – Symposium 2008	
Boswellia serrata (Frankincense) – from traditional Indian medicine (Ayurveda) to evidence-based medicine	
C. Döhling	540
ABSTRACTS	541

Number 8

Pharmacokinetics and immunomodulatory effects of phytotherapeutic lozenges (bonbons) with <i>Echinacea purpurea</i> extract	
P. Guiotto, K. Woelkart, I. Grabnar, D. Voinovich, B. Perissutti, S. Invernizzi, M. Granzotto and R. Bauer.	547
Effect of <i>Echinacea augustifolia</i> extract on cell viability and differentiation in mammary epithelial cells	
L. Starvaggi Cucuzza, M. Motta, P. Accornero and M. Baratta	555
Long-term clinical remission of a patient with chronic lymphocytic leukemia using alternative treatment option: Cottonseed oil (gossypol)	
W.M. Politzer	563
Phytotherapy and psychiatry: Bibliometric study of the scientific literature from the last 20 years	
P. García-García, F. López-Muñoz, G. Rubio, B. Martín-Agueda and C. Alamo	566
Possible nitric oxide modulation in protective effect of (<i>Curcuma longa</i>, Zingiberaceae) against sleep deprivation-induced behavioral alterations and oxidative damage in mice	
A. Kumar and A. Singh.	577
Effects of tenuifolin extracted from radix polygalae on learning and memory: A behavioral and biochemical study on aged and amnesic mice	
H. Zhang, T. Han, L. Zhang, C.-H. Yu, D.-G. Wan, K. Rahman, L.-P. Qin and C. Peng	587

Dietary L-carnitine supplementation improves bone mineral density by suppressing bone turnover in aged ovariectomized rats	
S. Hooshmand, A. Balakrishnan, R.M. Clark, K.Q. Owen, S.I. Koo and B.H. Arjmandi	595
Regulative effects of essential oil from <i>Atractylodes lancea</i> on delayed gastric emptying in stress-induced rats	
H. Zhang, T. Han, L.-N. Sun, B.-K. Huang, Y.-F. Chen, H.-C. Zheng and L.-P. Qin.	602
Kurarinol, tyrosinase inhibitor isolated from the root of <i>Sophora flavescens</i>	
Y.B. Ryu, I.M. Westwood, N.S. Kang, H.Y. Kim, J.H. Kim, Y.H. Moon and K.H. Park	612
Phytochemical screening and anticonvulsant activity of <i>Cymbopogon winterianus</i> Jowitt (Poaceae) leaf essential oil in rodents	
L.J. Quintans-Júnior, T.T. Souza, B.S. Leite, N.M.N. Lessa, L.R. Bonjardim, M.R.V. Santos, P.B. Alves, A.F. Blank and A.R. Antonioli	619
Effects of <i>Microdesmis keayana</i> roots on sexual behavior of male rats	
A. Zambé, S. Sahpaz, C. Brunet and F. Bailleul	625
Antinoceptive effect of triterpenoid α,β-amyrin in rats on orofacial pain induced by formalin and capsaicin	
S.A. Holanda Pinto, L.M.S. Pinto, M.A. Guedes, G.M.A. Cunha, M.H. Chaves, F.A. Santos and V.S. Rao	630
The inhibition of <i>Candida</i> species by selected essential oils and their synergism with amphotericin B	
A. Rosato, C. Vitali, D. Gallo, L. Balenzano and R. Mallamaci	635
REVIEW	
Synergism between natural products and antibiotics against infectious diseases	
S. Hemaiswarya, A.K. Kruthiventi and M. Doble	639

Number 9

Cranberry juice for prophylaxis of urinary tract infections – Conclusions from clinical experience and research	
R. Nowack and W. Schmitt	653
Artichoke leaf extract (<i>Cynara scolymus</i>) reduces plasma cholesterol in otherwise healthy hypercholesterolemic adults: A randomized, double blind placebo controlled trial	
R. Bundy, A.F. Walker, R.W. Middleton, C. Wallis and H.C.R. Simpson	668
The phytoestrogenic isoflavones from <i>Trifolium pratense</i> L. (Red clover) protects human cortical neurons from glutamate toxicity	
F. Occhiuto, G. Zangla, S. Samperi, D.R. Palumbo, A. Pino, R. De Pasquale and C. Circosta	676
Daidzein causes cell cycle arrest at the G1 and G2/M phases in human breast cancer MCF-7 and MDA-MB-453 cells	
E.J. Choi and G.-H. Kim	683
20-Hydroxyecdysone increases fiber size in a muscle-specific fashion in rat	
N. Tóth, A. Szabó, P. Kacsala, J. Héger and E. Zádor.	691
<i>Sclerocarya birrea</i> [(A. Rich.) Hochst.] [Anacardiaceae] stem-bark ethanolic extract (SBE) modulates blood glucose, glomerular filtration rate (GFR) and mean arterial blood pressure (MAP) of STZ-induced diabetic rats	
M. Gondwe, D.R. Kamadyaapa, M. Tufts, A.A. Chuturgoon and C.T. Musabayane.	699
Protective effects of <i>Angelica sinensis</i> extract on amyloid β-peptide-induced neurotoxicity	
S.-H. Huang, C.-M. Lin and B.-H. Chiang	710

Effects of the polysaccharide fraction of <i>Urtica fissa</i> on castrated rat prostate hyperplasia induced by testosterone propionate	
Q. Zhang, L. Li, L. Liu, Y. Li, L. Yuan, L. Song and Z. Wu.	722
Antiplasmodial and antitrypanosomal activity of <i>Triclisia sacleuxii</i> (Pierre) Diels	
S. Murebwayire, M. Frédérich, V. Hannaert, M-C. Jonville and P. Duez.	728
<i>Melissa officinalis</i> oil affects infectivity of enveloped herpesviruses	
P. Schnitzler, A. Schuhmacher, A. Astani and J. Reichling	734
Comparative study on the aristolochic acid I content of Herba Asari for safe use	
Z.-Z. Zhao, Z.-T. Liang, Z.-H. Jiang, K.S.-Y. Leung, C.-L. Chan, H.-Y. Chan, J. Sin, T.-O. Man and K.-W. Law	741
Berberine prevents UV-induced MMP-1 and reduction of type I procollagen expression in human dermal fibroblasts	
S. Kim and J.H. Chung	749
Lobeline, a piperidine alkaloid from <i>Lobelia</i> can reverse P-gp dependent multidrug resistance in tumor cells	
Y. Ma and M. Wink	754
Effect of total flavonoid fraction of <i>Astragalus complanatus</i> R.Brown on angiotensin II-induced portal-vein contraction in hypertensive rats	
B. Xue, Jx. Li, Q. Chai, Z. Liu and Lb. Chen	759
Wound healing activity and docking of glycogen-synthase-kinase-3-β-protein with isolated triterpenoid lupeol in rats	
B.G. Harish, V. Krishna, H.S. Santosh Kumar, B.M. Khadeer Ahamed, R. Sharath and H.M. Kumara Swamy.	763
Cytotoxic properties of thiophenes from <i>Echinops grijissi</i> Hance	
W. Jin, Q. Shi, C. Hong, Y. Cheng, Z. Ma and H. Qu	768
Antiproliferative activity of triterpenoids from <i>Eclipta prostrata</i> on hepatic stellate cells	
M.K. Lee, N.R. Ha, H. Yang, S.H. Sung, G.H. Kim and Y.C. Kim	775
High Performance Thin-Layer Chromatography for the Analysis of Medicinal Plants	
I.A. Khan and A.N. Jadhav	781

Number 10

Lipolytic effect of a polyphenolic citrus dry extract of red orange, grapefruit, orange (SINETROL) in human body fat adipocytes. Mechanism of action by inhibition of cAMP-phosphodiesterase (PDE)	
C. Dallas, A. Gerbi, G. Tenca, F. Juchaux and F.-X. Bernard.	783
Effect of <i>Hippophae rhamnoides</i> leaf extract against Dengue virus infection in human blood-derived macrophages	
M. Jain, L. Ganju, A. Katiyal, Y. Padwad, K.P. Mishra, S. Chanda, D. Karan, K.M.S. Yogendra and R.C. Sawhney	793
Proteomic analysis of differential protein expression in rat platelets treated with notoginsengnoids	
Y. Yao, W.-Y. Wu, S.-H. Guan, B.-H. Jiang, M. Yang, X.-H. Chen, K.-S. Bi, X. Liu and D.-A. Guo	800
Inhibitions of mast cell-derived histamine release by different Flos Magnoliae species in rat peritoneal mast cells	
Y. Shen, E.C.K. Pang, C.C.L. Xue, Z.Z. Zhao, J.G. Lin and C.G. Li	808
The antiulcer effect of <i>Croton cajucara</i> Benth in normoproteic and malnourished rats	
A.C.B. De Paula, J.S. Gracioso, W. Toma, C.A. Hiruma-Lima, E.M. Carneiro and A.R.M. Souza Brito	815

Phytochemical composition and <i>in vitro</i> pharmacological activity of two rose hip (<i>Rosa canina</i> L.) preparations E.M. Wenzig, U. Widowitz, O. Kunert, S. Chrubasik, F. Bucar, E. Knauder and R. Bauer	826
Gastroprokinetic effects of DA-9701, a new prokinetic agent formulated with Pharbitis Semen and Corydalis Tuber T.H. Lee, J.J. Choi, D.H. Kim, S. Choi, K.R. Lee, M. Son and M. Jin	836
Determination and pharmacokinetics of gastrodin and <i>p</i>-hydroxybenzylalcohol after oral administration of <i>Gastrodia elata</i> Bl. extract in rats by high-performance liquid chromatography–electrospray ionization mass spectrometric method W. Zhang, Y.X. Sheng and J.L. Zhang.	844
Radioprotective effects of propolis and quercetin in γ-irradiated mice evaluated by the alkaline comet assay V. Benkovic, A. Horvat Knezevic, D. Dikic, D. Lisicic, N. Orsolcic, I. Basic, I. Kosalec and N. Kopjar	851
Tissue distribution and excretion of resveratrol in rat after oral administration of <i>Polygonum cuspidatum</i> extract (PCE) D. Wang, Y. Xu and W. Liu.	859
A mannose-binding lectin from <i>Sophora flavescens</i> induces apoptosis in HeLa cells Z. Liu, B. Liu, Z.-T. Zhang, T.-T. Zhou, H.-J. Bian, M.-W. Min, Y.-H. Liu, J. Chen and J.-K. Bao	867
Immunorestitution and augmentation of mitogen lymphocyte response in Graffi tumor bearing hamsters by purified saponin mixture from <i>Astragalus corniculatus</i> R.A. Toshkova, I.N. Krasteva and S.D. Nikolov.	876
Screening for cytotoxic activity of extracts and isolated alkaloids from bulbs of <i>Hippeastrum vittatum</i> A.F.S. Silva, J.P. de Andrade, K.R.B. Machado, A.B. Rocha, M.A. Apel, M.E.G. Sobral, A.T. Henriques and J.A.S. Zuanazzi	882
Antimicrobial activity of <i>Rheedia brasiliensis</i> and 7-epiclusianone against <i>Streptococcus mutans</i> L.S.B. Almeida, R.M. Murata, R. Yatsuda, M.H. Dos Santos, T.J. Nagem, S.M. Alencar, H. Koo and P.L. Rosalen	886
Antiprotozoal activity of (8-hydroxymethylen)-trieicosanyl acetate isolated from <i>Senna villosa</i> E. Guzmán, C. Pérez, M.A. Zavala, K.Y. Acosta-Viana and S. Pérez	892
<i>Centella asiatica</i> water extract inhibits iPLA₂ and cPLA₂ activities in rat cerebellum N.R. Barbosa, F. Pittella and W.F. Gattaz	896
Hepatoprotective effect of <i>Bacoside-A</i>, a major constituent of <i>Bacopa monniera</i> Linn T. Sumathi and A. Nongbri	901
The Handbook of Medicinal Plants S. Mesia-Vela	906

Number 11

Willow bark extract (<i>Salicis cortex</i>) for gonarthrosis and coxarthrosis – Results of a cohort study with a control group A.-M. Beer and T. Wegener	907
The effect of Camphor–Crataegus berry extract combination on blood pressure and mental functions in chronic hypotension – A randomized placebo controlled double blind design R. Schandry and S. Duschek	914
Protective effect of a standardized Ginkgo extract (ginaton) on renal ischemia/reperfusion injury via suppressing the activation of JNK signal pathway Y. Wang, D.-S. Pei, H.-X. Ji and S.-H. Xing	923

Hypocholesterolemic effect of stilbenes containing extract-fraction from <i>Cajanus cajan</i> L. on diet-induced hypercholesterolemia in mice Q.-F. Luo, L. Sun, J.-Y. Si and D.-H. Chen	932
Essential oil from leaves of <i>Cinnamomum osmophloeum</i> acts as a xanthine oxidase inhibitor and reduces the serum uric acid levels in oxonate-induced mice S.Y. Wang, C.W. Yang, J.W. Liao, W.W. Zhen, F.H. Chu and S.T. Chang	940
Preventive effect of <i>Ganoderma amboinense</i> on acetaminophen-induced acute liver injury C.-c. Hsu, K.-y. Lin, Z.-h. Wang, W.-l. Lin and M.-c. Yin	946
The effect of <i>trans</i>-ferulic acid and gamma-oryzanol on ethanol-induced liver injury in C57BL mouse C. Chotimarkorn and H. Ushio	951
Neuropharmacological studies on <i>Wedelia calendulacea</i> Less stem extract T. Prakash, N.R. Rao and A.H.M. Viswanatha Swamy	959
Effect of <i>Centella asiatica</i> leaf powder on oxidative markers in brain regions of prepubertal mice <i>in vivo</i> and its <i>in vitro</i> efficacy to ameliorate 3-NPA-induced oxidative stress in mitochondria G.K. Shinomol and Muralidhara	971
Cancer chemopreventive activity of "rosin" constituents of <i>Pinus spez.</i> and their derivatives in two-stage mouse skin carcinogenesis test R. Tanaka, H. Tokuda and Y. Ezaki.	985
Pharmacokinetic studies of a Chinese triple herbal drug formula H. Lv, H. Sun, W. Sun, L. Liu, P. Wang, X. Wang and H. Cao	993
Effect of two artichoke extracts (36_U and 36_EB) on rat ileum (with respect to bowel syndrome) and the peristaltic threshold E.J. Verspohl, M. Ploch, T. Windeck, M. Klaes, T. Schmidt and K. Bauer.	1002
Cytotoxic effects of hyperatomarin, a prenylated phloroglucinol from <i>Hypericum annulatum</i> Moris subsp. <i>annulatum</i>, in a panel of malignant cell lines G. Momekov, D. Ferdinandov, D. Zheleva-Dimitrova, P. Nedialkov, U. Girreser and G. Kitanov	1010
Antitumor activity of C-21 steroidal glycosides from <i>Cynanchum auriculatum</i> Royle ex Wight Y.-r. Peng, Y.-b. Li, X.-d. Liu, J.-f. Zhang and J.-a. Duan	1016
Effects of <i>Cimicifuga racemosa</i> extract on liver morphology and hepatic function indices G. Mazzanti, A. Di Sotto, A. Franchitto, S. Mastrangelo, M. Pezzella, A. Vitalone and C.L. Mammola	1021

Number 12

A comparative study of the therapeutic effects of the <i>Zataria multiflora</i> vaginal cream and metronidazole vaginal gel on bacterial vaginosis M. Simbar, Z. Azarbad, F. Mojab and H. Alavi Majd	1025
Safety evaluation of saffron (<i>Crocus sativus</i>) tablets in healthy volunteers M.-H. Modaghegh, M. Shahabian, H.-A. Esmaeili, O. Rajbai and H. Hosseinzadeh	1032
Stimulatory effect of <i>Crocus sativus</i> (saffron) on β_2-adrenoceptors of guinea pig tracheal chains H. Nemati, M.H. Boskabady and H. Ahmadzadeh Vostakolaei.	1038
Danggui-Shaoyao-San, a traditional Chinese prescription, suppresses $PGF_{2\alpha}$ production in endometrial epithelial cells by inhibiting COX-2 expression and activity Y.Q. Hua, S.L. Su, J.A. Duan, Q.J. Wang, Y. Lu and L. Chen	1046

Synergistic effect of silymarin and standardized extract of <i>Phyllanthus amarus</i> against CCl₄-induced hepatotoxicity in <i>Rattus norvegicus</i>	
N.P. Yadav, A. Pal, K. Shanker, D.U. Bawankule, A.K. Gupta, M.P. Darokar and S.P.S. Khanuja	1053
Enhancement of apoptosis of human hepatocellular carcinoma SMMC-7721 cells through synergy of berberine and evodiamine	
X.-N. Wang, X. Han, L.-N. Xu, L.-H. Yin, Y.-W. Xu, Y. Qi and J.-Y. Peng	1062
The ovariectomized, mature rat model of postmenopausal osteoporosis: An assessment of the bone sparing effects of curcumin	
D.L. French, J.M. Muir and C.E. Webber	1069
Novel leads from <i>Heliotropium ovalifolium</i>, 4,7,8-trimethoxy-naphthalene-2-carboxylic acid and 6-hydroxy-5,7-dimethoxy-naphthalene-2-carbaldehyde show specific IL-6 inhibitory activity in THP-1 cells and primary human monocytes	
A. Kulkarni-Almeida, A. Suthar, H. Goswami, R. Vishwakarma, V.S. Chauhan, A. Balakrishnan and S. Sharma	1079
Endothelium-dependent induction of vasorelaxation by <i>Melissa officinalis</i> L. ssp. <i>officinalis</i> in rat isolated thoracic aorta	
S. Ersoy, I. Orhan, N.N. Turan, G. Şahan, M. Ark and F. Tosun	1087
Serotonide and safflomide modulate forskolin-stimulated cAMP formation via 5-HT₁ receptor	
J.B. Park	1093
Suppressive effects of bee venom on the immune responses in collagen-induced arthritis in rats	
K.-W. Kim, Y.-S. Shin, K.-S. Kim, Y.-C. Chang, K.-K. Park, J.-B. Park, J.-Y. Choe, K.-G. Lee, M.-S. Kang, Y.-G. Park and C.-H. Kim	1099
Efficacy of an aqueous <i>Pelargonium sidoides</i> extract against herpesvirus	
P. Schnitzler, S. Schneider, F.C. Stintzing, R. Carle and J. Reichling	1108
Effects of extracts and neferine from the embryo of <i>Nelumbo nucifera</i> seeds on the central nervous system	
Y. Sugimoto, S. Furutani, A. Itoh, T. Tanahashi, H. Nakajima, H. Oshiro, S. Sun and J. Yamada	1117
SHORT COMMUNICATIONS	
Inhibiting enoyl-ACP reductase (FabI) across pathogenic microorganisms by linear sesquiterpene lactones from <i>Anthemis auriculata</i>	
A. Karioti, H. Skaltsa, X. Zhang, P.J. Tonge, R. Perozzo, M. Kaiser, S.G. Franzblau and D. Tasdemir	1125
Antimalarial, antimycobacterial and cytotoxic limonoids from <i>Chisocheton siamensis</i>	
W. Maneerat, S. Laphookhieo, S. Koysoomboon and K. Chantrapromma	1130
Effects of the active constituents of <i>Crocus sativus</i> L., crocins, in an animal model of anxiety	
N. Pitsikas, A. Boultsadakis, G. Georgiadou, P.A. Tarantilis and N. Sakellaridis	1135
Saponins (Ginsenosides) from stems and leaves of <i>Panax quinquefolium</i> prevented high-fat diet-induced obesity in mice	
W. Liu, Y. Zheng, L. Han, H. Wang, M. Saito, M. Ling, Y. Kimura and Y. Feng	1140